PERIODICAL
Index
1-56

CUMULATIVE SUBJECT AND AUTHOR INDEX TO

THE PROGRESSIVE FISH-CULTURIST

Nos. 1-56
1934 through 1941

LIBRARY
JUN 8 1967
FISH & WILDLIFE SERVICE

UNITED STATES DEPARTMENT OF THE INTERIOR
FISH AND WILDLIFE SERVICE
BUREAU OF SPORT FISHERIES AND WILDLIFE

CUMULATIVE SUBJECT AND AUTHOR INDEX TO

THE PROGRESSIVE FISH-CULTURIST

Nos. 1-56
1934 through 1941

Paul L. Fore
Fisheries Research Laboratory
and Department of Zoology
Southern Illinois University
Carbondale, Illinois

UNITED STATES DEPARTMENT OF THE INTERIOR, STEWART L. UDALL, SECRETARY
Stanley A. Cain, Assistant Secretary for Fish and Wildlife and Parks
Fish and Wildlife Service, Clarence F. Pautzke, Commissioner
Bureau of Sport Fisheries and Wildlife, John S. Gottschalk, Director
Washington, D. C. - May 1966
Resource Publication 24

FOREWORD

This cumulative subject and author index to the first eight volumes (Numbers 1-56) of The Progressive Fish-Culturist was prepared by Mr. Fore as a service to fishery workers, without cost to the Government. We express our sincere appreciation to Mr. Fore for his contribution.

S. M. Mullin
Editor, The Progressive Fish-Culturist

COMPILER'S NOTE

This is a cumulative subject and author index to the first eight volumes (Numbers 1-56) of The Progressive Fish-Culturist, which appeared between December 1934 and December 1941. This index supplements the 10-year index (1947-1956) covering volume 9 through volume 18 (Prog. Fish-Cult. 23(1): 1-45, 1961).

Publication of this periodical was suspended during World War II.

Mr. Fore's current address is:
Department of Biology
East Tennessee State University
Johnson City, Tenn. 37602

SUBJECT INDEX

[References are to issue number and page.]

Acetic acid, glacial, 49: 31
Acriflavine, 32: 26
Acrocheilus alutaceus, 45: 15
Acroneuria abnormis, 49: 5
  lycorias, 49: 5
Actinobdella triannulata, 53: 39
Aeration:
  hatchery, 29: 16; 35: 23-26
  transport, 7: 7; 33: 22; 37: 21; 52: 16-17
Aerator, water, 45: 54-56
Age determination, scales, 23: 1-5
Air bladder disease, 23: 20-21
Alloperla, 49: 5
Ambloplites rupestris, 44: 33; 55: 40
Ameiurus, 53: 8
  nebulosus, 49: 25; 50: 43; 54: 4
  natalis, 49: 25; 55: 34
American Fisheries Society,
  Abstracts, 23: 10-25; 35: 26-31; 50: 38-43; 51: 36-39; 55: 37-44
  Meetings, 11: 14-16; 23: 8-9; 51: 35
Amia calva, 55: 34
Amphipnous, 41: 25
Anacharis, 47: 14
Anax junuis, 8: 6
Anesthesia, ether, 54: 30-31
Anesthetizing, 49: 33-34
Anglers, licensed in 1938-39, 52: 11
Angling:
  America, 48: 40
  Lake Champlain, 39: 32
  New Zealand, 2: 8-9
  Ohio, 28: 24-25
  Russian River, 49: 23
  trout, wild, 54: 24-29
  Vermont, 55: 19-22
Anguilla bostoniensis, 55: 34
Aphanizonmenon, 21: 33-34
Aplites salmoides, 22: 21; 23: 15
  (See also, Bass, Largemouth)
Apocope oscula, 40: 34
Aquatic fauna:
  in bass ponds, 15: 27-28
Aquatic plants, control:
  in southern ponds, 52: 40
  with copper sulfate, 11: 23
    fertilizer, 54: 45-46
    muskrats, 45: 54
    puller, 49: 40
    sodium chlorate, 46: 28-29
Aquatic plants, manual of, 50: 49-50
Atlantic Coast, sea life, 56: 33
Atherix, 49: 5
Atractosteus spatula, 49: 24
Avitaminosis, 51: 23

Bacillus columnaris, 5: 7
  salmonicida, 45: 48
Backswimmers, 33: 15-16
Bacterial diseases, control, 52: 15
  (See also, Disease, control)
Bacterium salmonicida, 5: 2-4; 55: 34; 56: 15
Baetis, 49: 5
Baird Station, closed, 37: 22-25
Bass:
  brood stock, 15: 30
  experimental studies, 28: 16-17
  forage, 15: 28-29; 30: 34-35
  fry trap, 28: 31-32
  law, 28: 6
  pond, fertilization, 16: 13-15
    production, 31: 39-40; 48: 18
    with limestone bottoms, 31: 41-42
  propagation, 17: 17-18; 22: 19; 34: 19-20; 56: 28-29
  stocking, 16: 15-16
  stomach analysis, 53: 7
  survival, 32: 22
  vegetation, rooted, 15: 27-28
Bass, Black:
  propagation, 10: 12-13
Bass, Calico:
  propagation, 38: 12-14
Bass, Kentucky:
  egg production, 50: 46-47
Bass, Largemouth:
  affected by Scyphidia micropteri, 50: 42
  cover in ponds, 19: 22-23
  distribution, 23: 25-26; 38: 28
  feeding, artificial food, 32: 17-20
    hatchery, 6: 6
  fin-clipping, 46: 33-34; 51: 46
  food habits, 23: 15-16
  forage, 47: 31-37
  fungus, control, 56: 19
  glycogen content, 55: 34
  growing season, Tennessee, 52: 38
  growth, 24: 27
    rate, Wisconsin, 1: 9-10
  in Lake Mead, 55: 32
  investigations, 50: 8-10
  nests, floating, 21: 19-21
  populations, 52: 39; 55: 38
  production, 16: 1-6; 23: 25-26
  propagation, 8: 1-7; 42: 21-24; 47: 1-20
  tagging, 55: 35
Bass, Oswego:
  host for eye fluke, 54: 4
Bass, Rock:
  growth, Wisconsin, 55: 40
  population reduction, 51: 38
  propagation, 10: 14
  spawning habits, 44: 33-34
Bass, Smallmouth:
  affected by gill disease, protozoan, 27: 7-11
  Ichthyophthirius, 18: 16-17
  parasites, 52: 37
  Proteocephalus ambloplites, 23: 22-23
  Scyphidia micropteri, 50: 42
  availability, Ontario, 52: 40
  egg production, 50: 46-47
  feeding, 12: 9-11
    artificial food, 32: 17-20
  foes of, 23: 17-18
  food habits, 51: 36
  forage, 47: 31-37
  growing season, Tennessee, 52: 38
  growth, 22: 21
    rate, 1: 10
  host for eye fluke, 54: 4
  improving fishing, 28: 24-25
  in England, 11: 14
  introductions, South Africa, 33: 21-23; 42: 17-21; 51: 44-45; 55: 36
  life history, 38: 28-31
  nests, floating, 21: 19-21
  propagation, 7: 1-2, 4-7; 8: 1-7; 11: 22; 35: 30; 42: 21-24, 31-32
  tags, belly, 56: 21-22
Bass, Spotted:
  distribution, 38: 28
  introduction, South Africa, 55: 36
Bentonite, 29: 12-13
Biography:
  Clark, Howard Walton, 55: 14
  Embody, George C., 44: 38-39
  Gabrielson, Ira N., 53: 3
  Hover, Earl E., 44: 40
  Johnson, Harry F., 27: 20
  Keil, William M., 44: 39-40
  Smith, Hugh McCormick, 55: 23-24
  Wright, Alice, 24: 3
  (See also, Fish-culture, founders of)

Birds:
control, 14: 11-14
fish-eating, 14: 1-11; 15: 26; 16: 11, 12-13; 17: 16; 19: 7-10, 16-18; 20: 15-17; 21: 21-22; 24: 28; 25: 22; 28: 36-37, 38; 29: 24; 32: 23, 24-25
Bittern, American, 14: 8-9; 17: 16
Blackfly, 49: 5
Bluegill:
affected by crayfish, 41: 22-23
carrying capacity, 50: 38
feeding, hatchery, 6: 6
fishing, 44: 34-35
forage, for bass, 10: 13
grayling, 50: 39
growth, winter, 51: 38
host for eye fluke, 54: 4
introductions, South Africa, 45: 23-28; 51: 44-46; 55: 36
ponds, managing, 53: 8-13
propagation, 10: 14; 52: 39
spawning habits, 44: 33-34
stomach analysis, 51: 7-8; 53: 7
Blue-sac disease, 3: 3; 8: 9; 9: 13; 20: 25-26
Boleosoma nigram, 15: 13
Bonneville Dam:
fish counts, 52: 35
fishways, 45: 1-11
Boric acid, 48: 3-5, 7, 9
Bottom fauna, 40: 32-34
Bowfin:
glycogen content, 55: 34
Box:
handling, fingerlings, 56: 31
holding, 41: 19
maggot, 10: 14
sorting, 18: 6-7
Brasenia, 10: 18
Bream:
egg mortality, 24: 27-28
food, artificial, 43: 31
Breeding, selective:
experiments, 50: 2-3
fishes, 38: 14-16; 39: 26
trout, brood stock, 13: 1-6; 25: 1-4; 39: 25-26
cutthroat, 51: 40
rainbow, 5: 10-11; 21: 23-24
Brush shelters, 46: 33
Buffalo, Redmouth:
glycogen content, 55: 34
Bullhead:
host for eye fluke, 54: 4
Bullhead, Brown:
populations, Alabama, 49: 24-25
Michigan, 52: 39
Bullhead, Common:
food and growth, 50: 43
Bullhead, Yellow:
glycogen content, 55: 34
populations, Alabama, 49: 24-25
Michigan, 52: 39
Caddis flies, 5: 12-13; 10: 2-4; 49: 5
Calcium:
in natural waters, 52: 19-20
Calcium--
cyanide, 16: 7
hypochlorite, 34: 8; 42: 28
California--
Bureau of Fish Conservation, Annual Meeting, 24: 29-30
Calomel, 1: 9; 6: 3; 24: 16-18, 20-23, 25; 51: 24-29; 53: 32-33
Cambarus bartoni, 49: 5
immunis, 41: 22
Cannibalism, 7: 2, 4, 6; 23: 15-16
Cape--
Piscatorial Society, Annual Report, 55: 36
Carassius vulgaris, 32: 25
Carbarsome, 51: 24-29; 55: 1-4
Carchesium, 56: 30
Card, creel census, 37: 17-19
Carp:
fertilization, pond, 21: 32-34
forage, value, 20: 22-23
for bass, 10: 13
glycogen content, 55: 34
haemorrhagic septicaemia, 52: 12-15
marking, 19: 23-25
propagation, 3: 9
Castalia, 10: 18
Cataracts, in trout, 37: 27-28
Catch, Oregon, 40: 32-40
Catfish, Channel:
propagation, 44: 23-27
stocked, Delta Valley, 52: 21
transportation, 46: 19-21
Ceratophyllum, 47: 14
demersum, 15: 28; 40: 32
Chaoborus, 40: 32
Chara, 10: 18
Chauliodes, 49: 5
pectinicornis, 10: 6
Chelydra serpentina, 50: 15
Chilodon, 3: 3, 5; 6: 1-2; 8: 9; 32: 25-26
cyprini, 32: 25
Chironomidae, 10: 5, 8
Chitose Salmon Hatchery, Japan, 48: 14-18
Chlorazene, 43: 6-7
Chlorine, 34: 6-9; 48: 19-23; 49: 35-36
liquid, 44: 35-36
pond, disinfecting, 42: 24-29
Chrosomus eos, 15: 13
Chrysemys picta, 5: 16
Chub, 45: 5, 53
Chub, Creek:
as forage, 15: 13
Cladocera, 12: 14
Cladophora, 10: 18
Classification, game fish, 13: 7-10
Cobequid Hatchery, 38: 5-11
Collargol, 32: 26
Columnaris, 5: 7-8; 9: 13
Commercial fishery:
in TVA, 54: 47
management, 15: 6-8
questionaire, 28: 10
relation to sport, 49: 14-19
Concrete, application, 32: 6-10
Conservation:
fish, 18: 18-19; 36: 35
fishery, 15: 1-8
in the United States, 47: 55-56
progress, 28: 1-7
wildlife, 18: 18-19; 54: 49-50
WPA projects, 33: 17-19
Convict Creek Hatchery, 52: 33-34
Coal tar, toxicity, 21: 25; 35: 28-29
Copper sulfate, 11: 23; 16: 17; 18: 8; 23: 22; 24: 4-11, 18-19, 21-23; 27: 10; 34: 7, 11; 43: 5, 7; 48: 3-5, 7-9; 50: 40
Coregonus, 41: 3
clupeaformis, 52: 37
wartmanni, 23: 31; 28: 13, 15
williamsoni, 41: 3
Corethra, 48: 26
Corixids, 49: 25
Cormorant, Double-crested, 14: 5-6
Cortland Hatchery, 52: 18
Corydalis cornuta, 10: 6
Costia, 3: 3, 5; 6: 1-2; 8: 9; 32: 12, 25-26; 49: 39
necatrix, 32: 25; 48: 1-10; 49: 31; 50: 12
Cottus gulosus, 40: 34
Counting, method of, 7: 8
Cranefly, 49: 5
Crappie:
propagation, 10: 14
Crappie, Black:
glycogen content, 55: 34
propagation, 38: 12-14
stomach analysis, 53: 37
Crayfish, 10: 6, 13; 49: 5-6
numbers in ponds, 41: 23
Creel census:
in Clackamus River, 54: 37-38
Michigan, 19: 11-14
Minnesota, 53: 39
Russian River, 49: 23
TVA, 49: 20-21; 54: 47-48
Vermont, 6: 4-5; 53: 18; 55: 19-22; 56: 22
Virginia, 54: 34
Washington, 37: 17-19
methods, 37: 17-19; 40: 28-29; 49: 21-22
of lake trout, 49: 43-44
stocking, aid in, 19: 11-14
Cristovomer, 33: 25
namaycush, 37: 11
Crustaceans, 10: 6-7
control, 34: 10-11
Cutter, weed, 41: 20-22
Cyanide, toxicity, 21: 25-26
Cyclochaeta, 3: 3, 5; 6: 1-2; 32: 11-12, 25-26; 43: 7; 49: 31
domerguei, 32: 25
Cyprinus carpio, 52: 12; 55: 34

Dace, Black-nosed:
as forage, 15: 13; 49: 22-23
Dace, Red-bellied:
as forage, 15: 13
Dactylogyrus, 32: 10, 26; 34: 20; 42: 7
Dam:
rock filter, 17: 14-15
Daphnia, 10: 13; 12: 10; 28: 26; 31: 33; 48: 27
culture, 17: 1-6
longispina, 40: 34
magna, 8: 5; 16: 14; 17: 1, 4-5; 32: 19; 42: 18, 21; 47: 8
pulex, 17: 1; 23: 23; 40: 34; 52: 37
Darter, Iowa, 15: 13
Darter, Johnny, 15: 13
Derris root, 48: 19, 22-24
(See also, Rotenone)
Diaptomus, 28: 26
Diet:
brood stock, trout, 50: 19-28
deficiencies, in anemia, 48: 11-13
avitaminosis, 51: 23
cataracts, 37: 27-28
liver degeneration, 17: 7-10
feeding values, trout, 40: 20-23
for bass, 10: 15
smallmouth, 12: 10-11
grayling, 30: 35-36
salmon, chinook, 44: 10-17; 46: 12-15
trout, 9: 8-9; 15: 23-24; 45: 32-41; 50: 1-2
brook, 11: 19-20
rainbow, 4: 6-7; 9: 11-12; 20: 17-18; 51: 11-15
whitefish, 52: 37
hatchery, costs, 45: 64
mixtures, 52: 18-21
studies on, blood, 47: 46-49
calcium content, 30: 15-16, 23
carbohydrates, 51: 16-23
cholesterol, 27: 12, 14-15
fat content, 30: 12-14, 23
fish, 50: 22, 24-27
frozen, 48: 28-32
flour, 32: 1-6; 47: 49-51
foods, dry, 17: 7-12; 50: 24, 26-27
bulk, 53: 23-25
liver, beef, 33: 20; 39: 16-18
meals, cottonseed, 30: 7-14, 23
kelp, 27: 3-7
meat supplements, 37: 10-16, 26-27
milk, dry, 30: 5-7
overfeeding, 20: 19
plants, green, 50: 45
protein, 30: 2-4, 23; 50: 29-32
salmon by-products, 11: 18-19
shrimp, 20: 10-12
soybeans, 9: 13-14; 50: 26-27
vitamins, 27: 13-15
Digestion, starch, 44: 18-19
Dikerogammarus, 10: 7
Diplococcus liquefaciens, 20: 25
Diplostomiasis, 45: 41-47
Diplostomum, 54: 1
flexicaudum, 54: 2-4, 10
indistinctum, 54: 2, 10
spathaceum, 45: 41-42; 54: 2, 4, 10
Diptera, 10: 5, 8
Disease:
control, 5: 2-8; 6: 7-8; 11: 20-21; 12: 7; 33: 20; 39: 4-9; 42: 24-29; 52: 15; 56: 16-17
hatchery, 25: 10-11; 38: 5-11
of Costia necatrix, 48: 1-10
Dactylogyrus, 32: 10-11
epidemics, 9: 12-13
fin rot, 24: 11, 18-19, 21-22; 34: 6-9; 53: 14-16
fluke, eye, 54: 7-11
fungus, 18: 7-9
octomitiasis, 1: 9; 24: 16-18, 20-23, 25-26; 55: 1-4
protozoans, 6: 1-3; 32: 25-26; 48: 1-10; 49: 31-32, 39-40; 50: 11-12
Saprolegnia, 56: 18-20
tapeworms, 50: 33-35
thyroid tumor, 16: 19
ulcer disease, 49: 35-36
diagnosis, 3: 3-7; 39: 27
prevention, 39: 1-4; 43: 1-7
(See also, Copper sulfate, etc.)
Distribution:
in Pennsylvania, 43: 34-35
geographical, Pacific salmon, 30: 24-34
Dorosoma cepedianum, 15: 13; 29: 29
Dracunculus medinensis, 8: 10
Dragonflies, 10: 7; 33: 15
Duck-potatoes, removed, 49: 40
Dynamiting, rough fish, 31: 36-38
Dytiscus, 10: 7

Eel:
glycogen content, 55: 34
in Europe, 31: 32
Egg-picker, 14: 24-25; 44: 37-38; 46: 22-24, 26-27
Eggs:
affected by, blue-sac disease, 20: 25-26
circulation, lack of, 48: 37
diet, 50: 19-28
protozoa, 56: 30
stripping and handling, 53: 30-31; 54: 39
water temperature, 8: 4; 38: 19-22
calcium content, 17: 10-13, 15
counts, brown trout, 55: 42
development, largemouth bass, 29: 34-35
killifish, 40: 1-19
fungus, control, 18: 8-9
handling, 22: 15-17
incubating, 16: 19; 50: 40-41
number collected, 48: 18, 24
phosphorus content, 17: 10-13, 15
picked over, 15: 30
predation, 24: 27-28
production, walleye and sauger, 54: 32-34
source, wild fishes, 12: 5
stripping, 22: 1-6; 55: 46
survival, 28: 12-14
transporting, 31: 42-43; 45: 28-31; 46: 19-21
device, 31: 42-43
washing, 15: 27
Electrofishing, 36: 32-33; 49: 33-34
Electrophorus, 41: 25
Emys blandingii, 50: 16
Enforcement, law, 28: 6
Ephemerella, 49: 5
Ephemerida, 10: 4-5
Equisetum talmateia, 40: 32
Erimyzon oblongus, 49: 25
sucetta, 15: 13
Eriocera, 49: 5
Esox lucius, 1: 9; 48: 25; 54: 4; 55: 42
masquinongy, 1: 9; 22: 20; 48: 25; 50: 48
Estheria, 34: 10-11
Eucrangonyx gracilis, 40: 32

Factor H, 52: 19
Feeding:
excessive, 45: 32-25
intervals, 21: 26
methods, 4: 1-14; 30: 34-35; 36: 26-29; 52: 18-21
records, 29: 1-8, 11
Fertilization:
in Alabama, 55: 37-38
Czechoslovakia, 33: 8-13
ponds, bass, 16: 13-15; 31: 39-40
largemouth, 47: 1-4
bluegill, 51: 38
carp, 21: 32-34
Daphnia, 16: 13-14
killifish, 40: 3
Fertilizer:
inorganic, 16: 13-14; 21: 32-34; 33: 9-13; 40: 24-25; 44: 32-33; 50: 38-39; 53: 13; 54: 45-46
organic, 1: 7; 16: 13-14; 17: 2-5; 30: 34; 31: 39-40; 50: 38; 56: 28-29
Filter, sand, 47: 21-24
Fin--
-clipper, 52: 36
-clipping, 19: 24

condition, diet, 39: 16-18
regeneration, 51: 46
rot, 3: 3; 5: 7; 24: 4-11, 18-19, 21-24; 33: 19-20; 34: 6-9; 53: 14-16
Fish--
Aesop's foibles, 51: 30-32
books, 12: 9; 34: 2-5; 41: 26-27
cage, 9: 5
classification, 37: 7-10
control, 48: 19-24; 49: 24; 53: 38
counting, methods, 2: 5-7; 7: 8; 36: 31-32; 45: 2-6; 56: 31
eradication, 38: 5-11; 50: 40
in Europe, 14: 15-18
Glacier Park, 46: 4-6
Great Lakes, 56: 33
national parks, 23: 24-25
ladder, constructing, 45: 11-17
nests, floating, 21: 19-21
physiology, 29: 32-34
rescue, 12: 6; 19: 20-21; 46: 34; 56: 13, 20
Fish-culture:
affected by crayfish, 41: 22-23
commercial, 28: 8-15
founders of,
Atkins, Charles G., 25: 12-17
European origins, 16: 8-10
Green, Seth, 18: 10-12
Kendall, William C., 43: 35-36
Lydell, Dwight, 28: 26-31
McDonald, Marshall, 43: 19-30
Nettle, Richard, 29: 25
Stone, Livingston, 55: 11-14
Wilmot, Samuel, 21: 16-18
future trends, 50: 12-13
history, 3: 1-2; 35: 27; 49: 42
hyphenated, 47: 56
in Brazil, 40: 46-47
British Isles, 23: 23-24
California, 12: 1-8
Canada, 18: 1-4
Denmark, 39: 48-49
Europe, 14: 15-18; 31: 29-33; 32: 12-15; 34: 12-14; 35: 20-23
Indiana, 10: 12-15
mountain areas, 28: 25-26
library, 34: 1-6
problems, 30: 37-38; 36: 19-24; 43: 33
programs, planned, 41: 14-19
projects of WPA, 33: 17-19
research, 14: 20; 35: 20-23
school, 27: 19; 54: 36-37
tools, 38: 26-27; 46: 25-27
water, heating, 38: 19-22; 44: 19-23; 56: 12-13
(See also, Hatchery, etc.)
Fisheries:
administration, 44: 41-43
management, 15: 15-22; 23: 10-12; 39: 42-43; 44: 31-32; 46: 33-34; 47: 38-45; 50: 1-13; 56: 2-9
future, 23: 10-12
school, 45: 57
research, in Michigan, 21: 14-16
Wisconsin, 56: 14-17
spokesman, need, 23: 6-8
Fishing:
in TVA, 49: 20-21
licenses, cost, 41: 24-25
regulations, 35: 33-34
seasonal, 44: 34-35
Fly, dry, 16: 20
Fluke, eye, 54: 1-7
Fluminicola seminalis, 10: 7
Food:
conversion, 7: 9; 15: 23-24; 19: 19-20; 30: 16-20, 23-24
cost, 37: 15
hatchery:
fish processing, 19: 1-6
for bass, largemouth, 6: 6
smallmouth, 7: 1-7
bluegill, 6: 6
catfish, channel, 44: 26
grayling, 43: 12-17
salmonids, 47: 49-51
trout, 9: 7-10; 11: 20; 52: 18-21
mixing gadget, 21: 28
ricer, 55: 28-30
study needs, 11: 16-17
natural:
bullhead, common, 50: 43
grayling, 50: 39
insects, attracting, 48: 37
of bass, 53: 7
bluegill, 53: 7
crappie, black, 38: 13; 53: 37
trout, 10: 1-12; 19: 14-16; 29: 18-24
brook, 15: 31-32; 55: 37
brown, 55: 44
Forage:
fishes, 15: 12-14, 25-29; 20: 22-23; 23: 15-16; 28: 16; 29: 29; 30: 34-35; 32: 22; 45: 53-54; 47: 14-18, 31-37
ratio, 49: 22-23
Formalin, 48: 1-10; 49: 31-32, 39; 50: 12; 53: 14-16
Fundulus diaphanus, 15: 13
heteroclitus, 40: 1-2
Fungus, 18: 7-9; 51: 37
Furunculosis, 3: 3; 5: 1-4; 9: 13; 23: 23; 34: 23; 45: 47-50; 50: 3; 55: 34; 56: 16
control, 42: 24-29

Gambusia holbrooki, 42: 19
Gammarus, 20: 10; 28: 26
fasciatus, 10: 6-7
limnaeus, 10: 6-7; 29: 18
Gar, Alligator, 49: 24
Gar, Long-nosed, 49: 24
Gar, Short-nosed, 49: 24
Gar, Spotted, 49: 24
Gill disease:
bacterial, 3: 3; 5: 6-7; 8: 9; 9: 13; 42: 30-31
in trout, 23: 22
outbreak, 39: 24
protozoan, 27: 7-11
treatment, 6: 7-8
western type, 43: 4-7
Gloves, rubber, 30: 39
Glycogen, in fish muscle, 55: 33-34
Goldfish,
Dactylogyrus, 32: 10-11
Gyrodactylus, 55: 39
mortality, 34: 20
Gonad measurements, 55: 42
Grackles, 28: 38
Grader, fish, 11: 21-22; 14: 27; 18: 6-7; 32: 16-17; 36: 29-31; 39: 28-31
Graptemys geographica, 50: 16
Grayling:
distribution, 48: 32
feeding, 30: 35-36; 43: 12-17
habits, 50: 39
fishing, 46: 6
reestablishing, 49: 34
Growth:
affected by alkaline and acid waters, 12: 13-15
crowding, 26: 14
fasting, 1: 5-7
fertilizers, 40: 26-27
fish removal, 51: 38
pool bottoms, 42: 29-31
temperature, 8: 12-13
in diet studies, salmon, chinook, 53: 25
trout, 37: 10-16
brook, 49: 27-30
measuring, 36: 31-32
of bass, largemouth, 1: 9-10; 24: 27
rock, 51: 38; 55: 40
bluegill, 51: 38
bullhead, common, 50: 43
game fish, Wisconsin, 1: 9-11; 22: 20-22; 39: 20-21
pikeperch, 24: 27
trout, 24: 31-35
brook, 15: 31-32; 31: 41
Gull, 14: 9; 19: 17-18
Gull, Herring:
host of strigeids, 45: 42
Gyraulus parvus, 54: 5
Gyrodactylus, 3: 3-5; 32: 26; 48: 8, 10; 49: 31-32; 55: 39

Haemorrhagic septicaemia, 52: 12-15
Hatcheries:
commercial, 39: 21-23, 48-49
federal, 29: 14; 30: 1; 31: 1-14; 35: 1-9; 46: 7; 48: 32; 50: 47; 51: 51; 52: 24-30, 33-34
foreign, 25: 7-9; 35: 27-28; 40: 46; 48: 14-18; 55: 25-27

municipal, 10: 15-16; 15: 11; 29: 28-30
state, 19: 21; 31: 1-14
Hatchery--
alarm device, 43: 31-33
cold storage plants, 27: 1-3
capacity, increased, 55: 6-10
concrete, use of, 32: 6-10
costs, 15: 23-24; 31: 26-29
disease, prevention, 8: 8; 39: 1-9; 43: 1-7
equipment, improved, 38: 16-17
foremen, training, 48: 34-35
heating installation, 44: 21-23
interest, 19: 22
Log, The, 52: 22-23; 53: 34-35
meat room, 35: 31-33; 45: 50-53
hopper, 39: 14-16
microscope, use of, 3: 3-7
operation, 46: 7-11
output agreement, 54: 13
pools, 42: 29-31; 52: 30
predation, 39: 47-48
production, 29: 8-10; 51: 39
records, 2: 1-4; 29: 1-8, 11
research, 22: 8-9
screens, 33: 14-15; 38: 22-26
sheet-metal work, 39: 9-16
shipping facilities, 40: 41-42
water, intakes, 46: 16-19
sources, 38: 5-11; 44: 7; 46: 20-24; 49: 36
(See also, Ponds, Spawning, etc.)
Hawks, Fish, 15: 25-26
Helisoma campanulatum, 54: 5
Helodrilus, 55: 33
Herons, 14: 6-9; 16: 11-12; 17: 16; 19: 17-18; 21: 22; 24: 28; 28: 36-38; 32: 23-24
Herring, trout diet, 48: 28-32
scale diagram, 23: 3
Hormone injections, 50: 48-49
Horseshoe Lake, Illinois, 42: 33-35
HTH, (See Calcium hypochlorite)
Humor, 25: 21; 31: 40; 35: 34-35; 46: 30-31; 50: 36-37
Huro salmoides, 38: 28; 44: 31-34; 53: 8; 55: 34
(See also, Bass, Largemouth)
Hyalella azteca, 10: 7; 40: 32
knickerbocki, 23: 23
Hybognathus regius, 55: 43-44
Hyborhynchus notus, 15: 13
Hybrids:
muskellunge-pickerel, 48: 25-27
rainbow-brook, 21: 27-28
Hydra, 8: 4; 18: 16
Hydropsyche, 49: 5

Ichthyophthirius, 3: 3, 5; 6: 1-2; 8: 9; 18: 16-17; 32: 25-26; 42: 1-17; 45: 49
multifiliis, 42: 1
I-memoranda, listing, 2: 10
Immunization, 52: 14
Incubator, drip, 56: 10-13
Insects:
attraction, 48: 37
control, 8: 6; 33: 15-16
recognition, larvae, 10: 3
Intakes, water, 46: 16-19
International--
Association for Limnology, 32: 15
Irrigation:
fish loss, 17: 14-15
screens, 45: 18-23

Kamala, 50: 33-35
Kelp, giant, 27: 3-7
Killifish:
as forage, 15: 13
embryology, 40: 1-19
Kingfishers, 14: 6; 16: 12; 17: 16; 21: 22; 32: 24-25

Lake:
alkaline and acidic, 12: 13-15
classification, Minnesota, 41: 9-13
dynamics, 15: 21; 40: 32-34; 53: 22
fishing, 41: 1-8
investigations, 39: 18-21; 46: 36-39; 51: 47-48
management, 11: 23; 28: 18-21; 31: 36-38; 40: 47-48; 42: 33-35; 43: 36-37; 44: 31-32; 47: 38-45; 55: 41-42
of Glacier Park, 46: 1-4
Ozarks, the, 51: 1-10
population studies, 54: 46; 55: 38-40
productivity, factors of, 39: 40-42
Titicaca, Peru, 48: 36
Lamprey, Sea:
spawning runs, 54: 48
Larus argentatus, 45: 42
Leavenworth Hatchery, new, 52: 24-30
Leipdurus glacialis, 31: 30
Lepisosteus osseus, 49: 24
platostomus, 49: 24
productus, 49: 24
Lepomis gibbosus, 44: 33
macrochirus, 44: 33; 50: 38-39; 53: 8
Liver degeneration, 17: 7-10
Lugol's solution, 16: 19
Lymnaea humilis, 54: 5
obrussa, 54: 5
palustris, 54: 5

Machinery, dehydrating, 19: 6
Macrocystis pyrifera, 27: 3
Madtom:
as forage, 51: 36
Malachite green, 18: 7-9; 43: 4-6; 56: 19-20
Management:
in impounded waters, 28: 19-21
Michigan, 47: 38-45
Lake of the Ozarks, 51: 1-10
Oregon, 52: 35-36
Pisgah National Forest, 44: 1-10
of ponds, Alabama, 53: 8-13
Illinois, 53: 38
water utilization, 11: 15-16
(See also, Fish, Lakes, etc.)
Mayflies, 5: 12-13; 10: 3-5; 49: 5, 25
Megastomatobus cyprinella, 55: 34
Merganser, 19: 17-18; 28: 36-37
American, 14: 10-11; 44: 43-45
Hooded, 14: 10-11
Red-breasted, 14: 10
Metabolism, fishes, 3: 9
Metacercariae, strigeid, 45: 43-44
Methylene blue, 32: 26
Micropterus dolomieu, 1: 10; 22: 21; 38: 28; 51: 36; 52: 40
pseudoplites, 38: 28
salmoides, 1: 9
Microstomum, 18: 16
Microscope, diagnosis, 3: 3-7
Midges, 10: 5, 8; 49: 5
Midwest--
Wildlife Conference, Abstracts and Meeting, 53: 36-39
summary of papers, 43: 8-12
Migration:
trout, rainbow, 20: 12-15
Minnow, Blackhead:
forage, for bass, 47: 31-37
host for eye fluke, 54: 4
Neascus, 50: 42
Minnow, Bluntnose:
as forage, 15: 13
for walleye, 51: 32
Neascus, 50: 42
Minnow, Fathead:
as forage, 15: 13; 19: 22-23
Minnow, Silvery:
propagation, 55: 43-44
Mixer, food, 40: 44-46
Mollusca, 10: 7
Mortality:
effect of aluminum paint, 54: 43
calomel, 53: 32-33
fin rot, 24: 21-22, 24
furunculosis, 45: 48-49
handling eggs, 22: 15-17
ice crystals, 37: 26
lightning, 55: 30
malachite green, 43: 5-6
octomitiasis, 24: 25-26
potassium permanganate, 34: 20
propagation, 23: 31-32
selenium, 39: 46
soft water, 26: 24
tackle, 54: 35-36; 55: 45
temperature, 47: 52-53
ulcer disease, 49: 35-36

in diet studies, 48: 28-32
of salmon, 51: 39
sockeye, 26: 4
trout, rainbow, 29: 14-17
Mugil cephalus, 53: 29
Mullet, Grey:
propagation, China, 53: 29
Mullet, Striped:
propagation, 49: 41-42
Musculium partumeium, 54: 5
Muskellunge:
hybrids, 48: 25-27
induced spawning, 50: 48-49
Muskellunge, Tiger:
growth, 22: 20-21
Mylocheilus, 41: 3
caurinus, 45: 5

Naias, 47: 14; 53: 7
guadalupensis, 54: 45-46
Neascus, 50: 43
Neuroptera, 10: 6
Nipping, fin damage, 39: 18
Nitrazine, paper, 38: 1-4
North--
American Wildlife Conference,
Abstracts, 15: 11-22; 44: 28-35; 49: 19-25; 55: 44-48
Meeting, 15: 9-10
Paper, 49: 14-19
Central States Wildlife Conference,
Meeting, 26: 15-19
Northeastern--
Fish Culturists,
Meeting, 39: 31-33
Notemigonus crysoleucas, 15: 13; 49: 25
Notonecta, 33: 15
Notropis atherinoides, 15: 13
cornutus, 15: 13
heterodon, 15: 13
Nuphar advena, 52: 40
Nutrition, trout, 11: 17-18; 30: 1-24; 51: 40-41
(See also, Diets, etc.)
Nymphaea, 10: 18
adventa, 40: 32

Octomitiasis, 24: 12-18, 20-23, 25-26
Octomitus, 1: 9; 3: 3, 5; 6: 1, 3; 8: 9, 11-12; 44: 9; 55: 1-4, 17
salmonis, 24: 12-16; 51: 24-29; 55: 1
Oligochaetes, 49: 25
Oncorhynchus, 45: 47
gorbuscha, 30: 28; 48: 15
kamloops, 13: 9
keta, 58: 15
kisutch, 22: 15; 27: 4; 30: 31; 32: 1; 47: 51; 50: 40-41; 52: 4; 53: 30
nerka, 23: 25; 28: 15; 30: 31; 52: 1-3
tschawytscha, 27: 3; 30: 30; 47: 46; 52: 4; 55: 31
Osprey, 14: 10
Oxygen:
equipment, transport, 45: 54-56
investigation, trout, 52: 38
levels, hatchery, 35: 23-26

Pachyurus, 40: 46
Pacific--
Fishery Biologists, Meeting, 39: 34-43
Paradise--
Brook Trout Co., 39: 22-23
Paraleptophlebia mollis, 49: 5
Parasite, intensity count, 55: 39
Paris green, 34: 10
Pelican, 14: 5; 16: 12
Peltoperla arcuata, 49: 5
Perca flavescens, 54: 4
Perch:
overcrowding, 26: 13-15
stunting, 47: 44
Perch, Log:
as forage, 15: 13
Perch, Yellow:
host for eye fluke, 54: 4
Percina caprodes, 15: 13
Philopotamus, 49: 5
Physa heterostropha, 54: 5
Physiology:
fish, 29: 32-34
respiration, 41: 25-26
Physoclisti, 29: 33
Picker, egg:
siphon, 14: 24-25; 44: 37-38; 46: 22-24
Pickerel:
host for eye fluke, 54: 4
hybrids, 48: 25-27
Pike:
lakes, types of, 41: 10-11
Pike, Northern:
growth, 22: 21
life history, 55: 42-43
Pikeperch:
growth, 24: 27
Pikeperch, Yellow:
abundance, 23: 14-15
Pike, Walleye:
egg mortality, 56: 30
production, 50: 46-47; 54: 32-34
growth, 22: 21
propagation, 23: 18
scale diagram, 23: 3
Pimelodus clarias, 40: 46
Pimephales promelas, 15: 13; 19: 22; 54: 5
Pisgah--
National Forest, 44: 1-10
Plankton, production, 40: 24-27; 50: 38
Plecoptera, 10: 5
Poecilichthys exilis, 15: 13
Poisoning, selective, 51: 36
Pollution:
effects on, aquatic life, 28: 22-23
fish, 20: 1-4; 35: 28-29
legislation, 20: 5-10; 46: 34
Pomolobus, 48: 28, 32; 50: 27
aestivalis, 48: 28
Pomoxis annularis, 53: 8; 55: 34
nigro-maculatus, 53: 37; 55: 34

Ponds:
alternate years, use, 21: 31
cover, 19: 22-23
determinations, pH, 38: 2-4
farm, in Alabama, 44: 32-33; 50: 39; 55: 37-38
Southeast, 49: 19-20
rearing, 12: 11-12; 15: 17-18, 27-28; 16: 15-16; 18: 15; 20: 23; 21: 1-14; 22: 10-15, 19; 23: 17-18; 26: 4; 29: 18-24, 26-27; 32: 22; 36: 1-6; 50: 28, 47; 52: 28
sealing, bentonite, 29: 12-13
sterilization, 42: 24-29; 44: 35-36; 49: 35-36
vegetation, 32: 18-19
Population:
estimation methods, 26: 16-17; 55: 39-40
study, 49: 24-25
Potamogeton, 10: 18; 53: 7
americanus, 47: 14
foliosus, 47: 36
luceus, 40: 32
pectinatus, 15: 28
Potassium--
dichromate, 18: 8
permanganate, 11: 20-21; 18: 8; 23: 22; 34: 7; 43: 4-7
Predation:
fish, 39: 34-35
investigations, 39: 47-48
Processing, equipment, 19: 3-6
Production:
costs, 11: 11-14; 13: 14-18
hatcheries, federal, 31: 15-16
United States, 31: 15-26
state, 7: 7; 29: 8-10
measurement, 51: 39
terms and definitions, 39: 36-39
Progressive--
Fish-Culturist:
corrections, 26: 19-21; 32: 22
editorials, 14: 19; 22: 7; 23: 6-8; 24: 3; 25: 10-11; 32: 20-21; 34: 16-17; 43: 17-19; 52: 31-32; 53: 17-18; 56: 1
policy, 32: 20-21
prospectus, 1: 1-2
Proteocephalus, 50: 33-35
ambloplitis, 23: 22; 38: 30; 50: 33, 35; 52: 37; 53: 39
fluviatilis, 52: 37; 53: 39
Pseudomonas fluorescens, 23: 21
punctata, 52: 12, 14
Pteronarcys proteus, 49: 5
Ptychocheilus oregonensis, 45: 5
Pyramid Lake, fishery, 50: 41

Quinine baths, 32: 25-26
Quillback:
forage, for bass, 10: 13

Raceways:
concrete, 22: 10-11
conditioning, 19: 22

gravel, 23: 20
natural, 16: 16-17; 22: 10-11; 47: 53-54
Rack, alarm, 43: 31-33
Rat control, 16: 6-7
Rearing station, private, 55: 15-18
Reelfoot Lake, 55: 5
Reservoirs:
fishery problems, 23: 12-13
municipal, fishing, 15: 11
Respiration, physiology, 41: 25-26
Rhinichthys atratulus, 49: 22
atronasus, 15: 13
Rhyacophila, 49: 5
Ricer, potato, 55: 28-30
River, classification, 10: 18
Rotenone, 38: 5-11; 50: 40; 51: 36
Rough fish, removal, 31: 36-38

Sagittaria, 49: 40
Salmo aqua-bonita, 6: 8; 13: 9
clarki, 23: 24; 51: 40; 54: 30
fario, 30: 39-40; 37: 11; 50: 48
fontinalis, 3: 13; 46: 30
gairdneri, 13: 7-9; 40: 34; 46: 31; 50: 48; 53: 15
henshawi, 13: 9; 50: 41
irideus, 3: 11; 13: 8-9; 23: 24; 37: 11
masoni, 13: 9
nelsoni, 35: 15; 37: 1-10; 38: 18-19; 39: 26; 45: 57
rivularis, 13: 8-9
roosevelti, 6: 8; 13: 9
salar, 33: 25; 38: 9; 52: 39
shasta, 3: 11-12
truncatus, 13: 9
trutta, 3: 10; 13: 9; 30: 40; 55: 42
whitei, 13: 9
Salmon:
affected by calomel, 51: 24-29
carbarsome, 51: 26-29
fingerlings, care, 18: 4-7
hatchery, 52: 24-30
runs, relocating, 47: 25-30
salvaging, 54: 13
stocking, 37: 22; 45: 60-62; 52: 1-7
wheel, 48: 17
Salmon, Atlantic:
biology, 33: 25
introductions, California, 19: 21
restoration, in Maine, 15: 14-15
New England, 52: 39
Salmon, Blueback, 56: 31
Salmon, Chinook:
calomel, 53: 32-33
counts, Bonneville Dam, 56: 31
diet study, with blood, 47: 46-49
bulk foods, 53: 23-25
kelp meal, 27: 3-5, 7
eggs, incubation, 48: 32, 37
feeding experiments, 44: 10-17; 46: 12-15
migration, 56: 32
spawn-taking, 55: 31-32
Salmon, Chum, 56: 31
Salmon, Coho:
establishing run, 56: 29
incubation, 50: 40
recaptures, 31: 33-36
spawn-taking, mortality, 53: 30-31
stocking, 31: 33-36
Salmon, King:
diet, fish products, 11: 18-19; 19: 2-3
(See also, Salmon, Chinook)
Salmon, Pacific:
distribution, 30: 24-34
introductions, worldwide, 30: 28-34
life history, 48: 38-39
Salmon, Pink:
weir, counting, 56: 23-27
Salmon, Quinnat:
reproduction, 35: 35-38
Salmon, Silver:
at Bonneville Dam, 56: 31
calomel, 53: 32-33
diet study, with kelp meal, 27: 4, 6-7
flour, oat, 32: 1-6
eggs, handling, 22: 15-17
hatching, 50: 41
falling, reactions to, 47: 51-52
Salmon, Sockeye:
eggs, survival, 28: 12-13
establishing runs, 52: 1-7
fish meal, 48: 27
hatching fry, 23: 19
introductions, Canada, 37: 22
propagation, 20: 20-22; 25: 4-6; 26: 1-6
temperature, mortality, 51: 39
Salmon, Spring:
spawn-taking, mortality, 53: 30-31
Salmonidae:
biology, 33: 24-25
blue-sac disease, 20: 25-26
law, 34: 23
Salt, 18: 8; 20: 24; 23: 22; 32: 26; 48: 4-5, 7-8
Salvelinus aureolus, 13: 9
fontinalis, 10: 18; 36: 34; 37: 11; 38: 9; 40: 34; 45: 62; 53: 15; 54: 24
Samegai--
Trout Farm, Japan, 25: 7-9
Sampling, bottom, 44: 30
Saprolegnia, 5: 5; 9: 13; 56: 18
invaderis, 51: 37
Sauger:
egg production, 54: 33-34
Scales, formation, 53: 36
Scap, equipment, 46: 25-27
Schilbeodes insignis, 51: 36
Screens, 14: 24; 33: 14-15; 38: 22-26
irrigation, 53: 26-29
parallel bar, 45: 22-23
rotary, 45: 19-22
Scyphidia micropteri, 50: 42
Sein, T-shaped, 40: 43-44
Selenium poisoning, 39: 46
Semotilus atromaculatus, 15: 13
Shad:
jar hatching, 50: 46
tagging, 48: 27
Shad, Gizzard:
as forage, 15: 13
Shad, Hickory:
as forage, 29: 29
Shellbugs, control, 34: 10-11
Sheepshead:
transporting, 37: 21
Sheet-metal work, 39: 12-16
Shiner, Black-chinned:
as forage, 15: 13
Shiner, Golden:
as forage, 15: 13; 23: 15-16
population study, 49: 24-25
predation on, 21: 22-23; 24: 27-28
Shiner, Lake:
as forage, 15: 13
Shocker, stream, 36: 32-33
Shrimp, freshwater, 10: 6-7; 20: 10-12; 29: 18
Silt, effects of, 28: 23-24
Simulium, 10: 18-19; 49: 5
Smelt, in Lake Champlain, 39: 32
Snail, control, 54: 8-10
Sodium thiosulfate, 34: 8
Soldering, 39: 9-12
South Africa, introductions, 33: 21-23; 42: 17-21; 45: 23-28; 55: 36
Spatterdock, control, 52: 40
Spawning:
alter, with light, 36: 34
habits of centrarchids, 44: 33-34
knife, 55: 31-32
of bass, largemouth, 8: 3-4
smallmouth, 8: 3-4
trout, rainbow, 18: 17; 54: 41-43
pituitary injections, 34: 15-16; 50: 48-49
with electricity, 16: 19
Spawn-taking:
bass, largemouth, 42: 22-23
smallmouth, 42: 22-23
salmon, chinook, 55: 31-32
coho, 53: 30-31
spring, 53: 30-31
techniques, 22: 1-6
Spirogyra, 40: 32
Sport fishing:
club: 12: 1-12; 18: 12-14
conservation, 15: 1-6
expenditures, 47: 45
relation to commercial, 49: 14-19
Steelhead, migration, 33: 25
Stenonema fuscum, 49: 5
pulchellum, 49: 5
varium, 49: 5
Sterilization, ponds, 44: 35-36

Sternotherus odoratus, 50: 16
Stizostedion vitreum, 1: 9; 22: 21; 23: 14; 24: 27; 28: 15
Stocking:
boat, 49: 37-38; 51: 33-34
conditioning, before, 54: 38
costs, 11: 11-14
evaluations, 23: 26-32; 26: 22; 28: 35-38; 29: 27-28; 33: 1-8; 44: 28-29
experiments, 36: 25-26; 49: 19-20
in Jefferson National Forest, 55: 32
lakes, 53: 38
trout, 1: 11-14; 41: 3-8; 46: 31-32; 51: 33-34
methods, 9: 1-6; 25: 17-20; 27: 17-18; 34: 21-22; 41: 18-19; 44: 9; 45: 60-62; 48: 33; 54: 39-40
policy, federal, 52: 8-11
ponds, new, 53: 9-11
production, 47: 8-12
questioned, 49: 26; 50: 44
rate, 29: 21; 46: 38-39
results, 44: 29-30; 49: 6-13
size, 12: 8-9; 13: 10-13; 14: 22-23; 16: 15-16; 28: 33; 31: 33-36
streams, trout, 10: 16-17; 18: 14; 35: 1-9, 30-31; 44: 45-47; 45: 60-62; 49: 34, 37-38; 53: 19-22; 56: 2-4
Stonefly, 10: 5-6; 49: 5
Stream:
bottom, organisms, 28: 17; 49: 4-6
sampling, gloves for, 46: 35
classification, 10: 17-19
fish eradication, 38: 5-11
flow, measurement, 26: 6-8
food grade, 49: 22-23
improvement, 5: 12-13; 21: 15-16; 35: 9-19; 36: 6-19; 54: 41
insect larvae, 10: 1-6
management, 13: 18-20; 35: 29-30; 44: 47-49
productivity, 22: 22-23; 29: 27-28; 44: 47-49
survey, 36: 24; 49: 1, 3-6
test, 15: 15-16
Succinea retusa, 54: 5
Sucker:
as forage, 45: 53
Sucker, Chub:
population estimate, 49: 25
Sucker, Common:
host for eye fluke, 54: 4
parasites, 52: 37
Sucker, Lake Chub:
as forage, 15: 13
Suctoria, life history, 27: 8-10
Suffocation, reducing, 53: 33
Sunfish, Common:
spawning habits, 44: 33-34
Sunfish, Redear:
propagation, 10: 14
Superphosphate, 21: 32-34
Tags:
belly, 48: 27; 55: 35; 56: 21-22
recovery, trout, 39: 45
zinc strips, 19: 24-25
Tanks:
distribution, 7: 7; 52: 16-17
hatching, 55: 6-10
rearing, 14: 26; 55: 6-10
sterilization, 33: 19-20
Temperature:
effect on eggs, 38: 19-22; 44: 19-21; 45: 28-31
feeding, 8: 12-13
mortality, 47: 52-53; 51: 38
transportation, 52: 16-17
Tern, Black, 14: 9
Terrapin, 51: 41
Terrapin, Diamond-back, 55: 10
Thymallus montanus, 30: 36; 50: 39
Thyroid disease, 16: 19
Transportation:
barrels, 21: 30-31
boat, perforated, 49: 41
pack can, 9: 6
ship, 33: 22-23; 42: 17-18
truck, 7: 7; 9: 3-4; 21: 30-31; 22: 18-19; 23: 26; 34: 21; 41: 17-18; 46: 19-21; 53: 19-22
Trap:
for bass fry, 28: 31-32
gar, 49: 24
turtle, 50: 17-18
tarring, 20: 23
Trichodina, 49: 31-32; 53: 14
Trichoptera, 10: 2
Trough:
brush, cleaning, 14: 26-27; 16: 17
cleaner, 38: 26-27
color, 1: 8; 14: 24
congregating, prevention, 14: 25
covered, 14: 26
overcrowding, 45: 58-60
paint, 16: 18; 21: 29-30
rearing, 11: 22; 14: 26
Trout:
adaptability, 3: 7-8
brood fish, 13: 1-6; 15: 29-30; 25: 1-4
calcium content, 17: 10-13, 15
calomel, 51: 24-29
carbarsome, 51: 26-29
cataracts, 37: 27-28
chemical analysis, 50: 30-31
club, 18: 12-14
coloring, 30: 20-22, 24
conditioning, 16: 16-17
creel census, 6: 4-6
diets, experimental, 7: 8-9; 9: 7-10; 52: 18-21
meat, 37: 26-27
watercress, 51: 40-41
digestion, starch, 44: 18-19
stomach, 11: 9-11
diseases, 37: 13, 15
feeding, 11: 20; 19: 14-16, 19-20
methods, 4: 1-5, 11-13; 36: 25-26
natural foods, 6: 6-7
fingerlings, care, 18: 4-7
transferring, 15: 29
fishing, 54: 24-29
flies, artificial, 16: 20
food, cost, 21: 23
conversion, 15: 23-24; 44: 46-47
natural, 10: 1-12
preservation, 27: 1-3
scarcity, 29: 27-28
fungus, 51: 37
grader, 32: 16-17
growth, 1: 2-7; 24: 31-35
factors, 8: 12-13
organs, 39: 32
hatchery, compared to wild, 11: 1-9
defended, 26: 23-24
problems, 27: 16-17
livers, fatty, 27: 11-15; 28: 34
management, 56: 2-9
nutrition, 30: 1-24
overcrowding, 45: 58-60
phosphorus content, 17: 10-13, 15
pools, circular, 21: 1-14
predation, bird, 16: 11-13; 44: 43-45
productivity, 22: 22-23; 40: 28-40
propagation, 5: 12-13; 39: 48-49
protein requirement, 50: 29-32
raceways, 47: 53-54
rearing, ponds, 18: 15; 20: 23
station, private, 55: 15-18
tubs, 46: 10
salting, 20: 24
size limit, 34: 23-24
sorting, 39: 28-31
stocking, 1: 11-14; 13: 10-11; 25: 17-20; 28: 33; 33: 1-8; 45: 60-62; 49: 37-38
methods, 10: 16-17
studies in west, 35: 9-19; 50: 6-8
tackle, mortality, 34: 35-36; 55: 45
transporting, 53: 19-22
ulcer disease, 51: 37
water, softened, 26: 24
white spot disease, 43: 4
zinc, detrimental, 33: 20-21
Trout, Black-spotted:
anesthetized, 54: 30-31
Trout, Brook:
anemia study, 48: 11-13
bacterial disease, 53: 15
creel census, 55: 19-22
diet study, 11: 19-20
with carrots and soy-bean oils, 9: 13-14
herring, 48: 28-30, 32
liver, 39: 16-18
meat, 37: 10-16; 40: 48-49

digestion studies, 11: 17-18
ecology, 33: 25; 45: 62-63
eggs, distribution, 49: 30
size, 29: 34-35
temperature, 38: 19-22
feeding, brood stock, 4: 9-10
habits, 55: 37
practices, 29: 3, 7
fishing, 46: 6
gill blood clots, 23: 22
growth, 1: 11; 4: 10; 13: 12; 15: 31-32; 29: 21; 31: 41; 49: 27-30
hatchery, commercial, 39: 22-23
hybrids, 21: 27-28
management, 55: 41-42
movements, 29: 28
Octomitus, 55: 1-4
propagation, 3: 13; 36: 34
stocking, 13: 11; 35: 30-31; 44: 29-30; 49: 6-13
rate, 29: 21
ulcer disease, 49: 35-36
water temperature, 47: 52-53
Trout, Brown:
creel census, 55: 19-22
diet study, meat, 37: 10-16; 40: 48-49
eggs, count, 55: 42
feeding practices, 29: 4, 7
growth, 4: 10; 12: 13-15
in New Zealand, 2: 8-9
introductions, history in U.S., 30: 39-40
propagation, 3: 10-11
spawning, induced, 50: 48-49
natural, 35: 35-38; 52: 41-42
stomach analysis, 55: 44
tagging results, 39: 44-46
transporting, 52: 38
Trout, Cutthroat:
angling, 48: 38-39
decline, 50: 41
fishing, 46: 5-6
selective breeding, 51: 40
Trout, Dolly Varden:
fishing, 46: 6
Trout, Golden:
ecology, 6: 8-9
Trout, Kamloops:
in British Columbia, 15: 16-17
Trout, Lake:
air bladder disease, 23: 20-21
biology, 49: 43-44
diet study, with liver, 39: 16-18
meat supplements, 37: 10-16
eggs, incubating, 48: 24
feeding practices, 29: 6-7
fishing, 46: 6
introductions, in Peru, 48: 36; 50: 18
restoration measures, 53: 35
stocking, by boat, 51: 33-34
Trout, Loch Leven:
culture, 44: 19-23
diet study, liver, 39: 16-18
growth, 29: 21
stocking rate, 29: 21
stomach analysis, 10: 10
Trout, Mackinaw:
in Bear Lake, Utah, 55: 5
Trout, Mexican:
hatchery, flood loss, 38: 18-19
introductions, California, 45: 57
Trout, Nelson's:
introductions, California, 37: 1-10
Trout, Rainbow:
affected by coal tars, 21: 25
cyanide, 21: 25-26
ice crystals, 37: 26
pool bottom, 42: 29-31
water temperature, 47: 52-53
angling, 48: 38-39
brood stock, feeding, 50: 19-28
selection, 5: 10-11; 21: 23-24
creel census, 53: 18; 55: 19-22
diet study, with carrots and soy-bean oils, 9: 13-14
dried foods, 51: 11-15
frozen herring, 48: 31-32
liver, 1: 8; 20: 17-18; 39: 16-18
meals, 40: 20-23
meat, 37: 10-16; 40: 48-49
shrimp, 20: 10-12
distribution, 48: 32
feeding, 4: 6-7; 9: 11-12; 29: 5, 7
experiments, 45: 32-41
fishing rodeo, Venezuela, 54: 29
growth, 4: 10; 29: 21
hybrids, 21: 27-28
ichthyopthiriasis, 42: 1-17
introductions, Alaska, 46: 31-32
Jugoslavia, 13: 20-21
Puerto Rico, 48: 24
mortality, 29: 14-17
Octomitus, 1: 9
production, 50: 43
propagation, 3: 11-13
Proteocephalus, 50: 33-35
spawning, artificial, 50: 48-49
natural, 18: 17; 35: 35-38; 52: 41-42; 54: 41-43
stocking, 13: 11; 29: 21; 44: 29-30; 49: 6-13; 51: 33-34
stomach analysis, 10: 9-10
tagging results, 20: 14-15; 39: 44-46
Trout, Steelhead:
bacterial disease, 53: 15
depletion, 18: 14
scientific name, 13: 6-9
stomach analysis, 10: 8
Trutta fario, 13: 20-21
iridea, 13: 20
obtusirostris, 13: 20-21
shasta, 13: 20-21
Tub, floating, 55: 46
Turtle:
food of, 50: 15-17
trap, 50: 17-18

Ulcer disease, 5: 4-6; 49: 35-36
Umpqua National Forest, Fish Lake, 40: 28-40
United States--
Bureau of Fisheries, conservation progress, 28: 1-7
Disease Service, 8: 8-12
investigations, 50: 1-13
Organization and Directory, 48: S1-S14
Fish and Wildlife Service, Divisions, 51: 42-44
policy, 53: 1-2, 4-7
reorganization, 54: 14-23
stocking policy, 52: 8-11; 54: 23
National Park Service, fish protection, 23: 24-25
Utricularia, 47: 14

Vaucheria, 40: 32
Vallisneria spiralis, 46: 28
Vitamins:
A, 52: 20
C, 27: 13-15; 38: 34
G, 21: 23

Walleye:
culture, 36: 1-6
production, 51: 32
Water--
analysis, 29: 16-17; 38: 1-10
fertility, 33: 23-24
flow, measuring, 26: 6-13
management, 11: 15-16
pollution, 20: 5-10; 28: 22-23
purification, 19: 21
silting, 28: 23-24
supply, sterilization, 48: 19-24
Water lily, control, 45: 54
Water Ouzel, 14: 9-10
Weir, counting, 55: 18; 56: 23-27
Whitefish:
as forage, 40: 3
egg survival, 28: 13
fry, feeding, 52: 37
introduction, in Peru, 50: 18
restoration, 53: 35
stocking results, 55: 43
trap net, 52: 15
Wild celery, 46: 28
Wildlife restoration, 18: 18-19

Yield, in National Forests, 15: 12

Zaitha flumineum, 8: 6

AUTHOR INDEX

*--Comment or Letter **--Abstract ***--Review

Aitken, W. W.:
**Iowa fish management plan. 15: 18
Aldrich, A. D.:
*Tulsa's successful municipal fish hatchery. 10: 15-16
**Using municipal reservoirs to provide more fishing. 15: 11
*Operations at Tulsa's hatchery in 1936. 29: 28-30
Allen, George W.:
*Conditioning of trout before planting. 10: 16-17
*How best can we feed our young trout? 19: 14-16
Allen, Walter M.:
*Feeding natural trout foods. 6: 6-7
*Comment. 16: 16-17
Aller, Barbara:
*Comment. 12: 9
Anderson, A. L.:
Simple methods of measuring flow of water. 26: 6-13
Andrews, A. E.:
Fish culture in Indiana. 10: 12-15
*Attention to pond-fish culture demanded by Indiana. 14: 21
Anonymous:
Angling statistics. 6: 4-6
Conflicting classification of game fishes and the status of the steelhead trout. 13: 7-10
The North American Wildlife Conference. 15: 9-10
*Fish culture and fish psychology. 31: 40
*Ingenuity and wild imagination solve the kingfisher problem. 32: 24
*Baby trout feeding gadget. 35: 34-35
*Start sockeye run in Nanaimo River system. 37: 22
Second annual meeting of Northwest Fish Culturists. 39: 31
Annual meeting of the Pacific Fishery Biologists. 39: 34-43
Establishment of fish cultural service in Brazil. 40: 46-47
Anglers spend over 9 million dollars for licenses. 41: 24-25
Distribution highlights in Pennsylvania. 43: 34-35
Death of Dr. William C. Kendall. 43: 35-36
The Fourth North American Wildlife Conference. 44: 27-45
William M. Keil. 44: 39-40
Mexican trout again introduced into California. 45: 57-58
Trout planting in Alaskan lakes. 46: 31-32
T. V. A. fishery operations. 46: 33-34
Salvaging the salmon runs obstructed by the Grand Coulee Dam. 47: 25-30
Is our face red? 47: 56
Great Lakes fishes planted in South American lake. 48: 36
Neon lights attract insects to trout ponds. 48: 37
Organization and directory of employees U. S. Bureau of Fisheries. 48: S1-S14
Experimental propagation of mullet. 49: 41-42
Hatching shad eggs. 50: 46
Potential egg production of walleye pike and black bass. 50: 46-47
Fish rearing in the Tennessee Valley. 50: 47
Terrapin distribution on Atlantic Coast. 51: 41
Introducing the Fish and Wildlife Service. 51: 42-44
The hatchery log. 52: 22-23
Fish counts at Bonneville Dam. 52: 35
A durable fin clipper. 52: 36
Venezuelans hold trout rodeo. 54: 29
Are under-sized trout killed by hooking? 54: 35-36
A school for fish-culturists. 54: 36-37
Creel data on Clackamas River. 54: 37-38
State leases Reelfoot Lake as wildlife refuge. 55: 5
Fish counting on the Platte River. 55: 18
Lightning afflicts fish with "lingering death". 55: 30
Black bass in Lake Mead. 55: 32
Tagged bass yield interesting results. 55: 35
Salvage of Grand Coulee fish progresses. 56: 13
Anglers in test stream get better than five fish each. 56: 22
Report shows high return from plantings of trout. 56: 22
Two-way counting weir for salmon. 56: 23-27
New salmon project in Tulalip Creek. 56: 29
Protozoan causes loss of walleyed pike eggs. 56: 30
Adaptable box for handling fingerlings. 56: 31
Fish counts at Bonneville Dam. 56: 31
Asbell, John H.:
*Device for transporting green eggs. 31: 42-43
Auhl, Charles H.:
*A simple trough cleaner. 38: 26-27

Bangham, Ralph V.:
**Parasites of fish of Algonquin Park lakes. 52: 37
Bean, Leslie S.:
**Fish yield on the national forests of region nine. 15: 12
Beckman, William C.:
**Increased growth rate of rock bass (Ambloplites rupestris) following reduction in the density of the population. 51: 38
**The time of annulus formation on the scales of certain Michigan game fishes. 53: 36
Bell, Frank T.:
Proposals for a solution of the fishery conservation problem. 15: 1-8
Conservation progress by the Bureau of Fisheries. 28: 1-7
Bennett, George W.:
**Ponds as a factor in fish, game, and fur-animal restoration. 53: 38
------ and David H. Thompson:
**Fish management in small artificial lakes. 44: 31-32
Bennett, Leslie H.:
Feeding methods for bass at Fairport, Ia., station. 30: 34-35
*Ground limestone in pond bottoms. 31: 41-42

Berrian, William and Leo Shapovalov:
**An experiment in hatching silver salmon (Oncorhynchus kisutch) eggs in gravel. 50: 41
Berriozabal, Felipe B.:
**Hatcheries management in Mexico. 35: 27-28
Blackford, Charles Minor:
A narrow escape. 46: 30-31
Bost, J. E.:
*A bass fry trap. 28: 31-32
Bowden, Paul A.:
*Fish hawks and forage fish. 15: 25-26
Brass, John L.:
Teaching baby smallmouth and baby largemouth bass to take artificial food. 32: 17-20
Brown, C. J. D. and Gertrude C. Kamp:
**Gonad measurements and egg counts of brown trout (Salmo trutta) from the Madison River, Montana. 55: 42
Brown, E. D.:
Slots for screens at outlets of ponds. 33: 14-15
Bryant, Paul and Clarence M. Tarzwell:
**A preliminary report on the census of commercial fishing in Tennessee Valley Authority impoundments. 54: 47
Burnham, Charles W.:
*Comment. 16: 15-16
Burrows, R. E.:
*More about fish planting. 34: 21-22
The bulb siphon egg picker. 46: 22-24
Formalin for bacterial fin rot. 53: 14-16
------ and Frederic F. Fish:
Notes on the effect of low temperature upon eyed eggs. 45: 28-31
Butler, George E.:
**Artificial propagation of walleyed pike. 23: 18
**Artificial feeding of whitefish fry. 52: 37

Cahn, A. R.:
**The management of impounded waters. 28: 19-20
A new and successful method of sealing fish ponds. 29: 12-13
Canfield, H. R.:
*Comment. 16: 17
Cape Piscatorial Society:
Fish emigrants thrive in South America. 51: 44-46
Bass and sunfish in South Africa. 55: 36
Carbine, W. F.:
**Observations of the spawning habits on centrarchid fishes in Deep Lake, Oakland County, Michigan. 44: 33-34
**Observations on the life history of the northern pike (Esox lucius) at Houghton Lake, Michigan. 55: 42-43
Carl, G. Clifford:
*A simple method of measuring volume of fish. 36: 31-32
Furunculosis and another case of ichthyophthiriasis. 45: 47-50
A closed water system for a hatchery. 47: 20-24
**Comparison of coho salmon fry from eggs incubated in gravel and in hatchery baskets. 50: 40
Beware of the broken egg! 53: 30-31
Carl, John and J. R. Hodgson:
Shocking the fish. 31: 36-38
Carman, L. G.:
*Fish-eating birds. 19: 16-18
Carson, R. L.:
**Experimental modification of the sexual cycle in trout by control of light by Earl E. Hoover. 36: 34
**"Fish conservation advanced in 1937" by C. A. French. 36: 35
**Production of nutritional cataract in trout by Walter N. Hess. 37: 27-28
***Lake management reports, Horseshoe Lake near Cairo, Illinois by David H. Thompson and George W. Bennett. 42: 33-35
***The use of hormones for the conservation of muskellunge, Esox masquinongy immaculatus Garrard by Arthur Hasler, Roland K. Meyer, and Howard M. Field. 50: 48-49
***Spawning induced prematurely in trout with the aid of pituitary glands of carp by Arthur D. Hasler, Roland K. Meyer, and Howard M. Field. 50: 48-49
Chamberlain, Thomas K., William M. Keil, and Reuben O. Knuth:
Report on Pisgah fish management, 1939. 44: 1-10
Citrin, Estelle and H. S. Davis:
**A new fungus disease of trout. 51: 37
Clark, O. H. and Albert Hazzard:
**A comparison of summer and winter fishing in a "bluegill lake". 44: 34-35
Cliff, E. P. and P. R. Needham:
Trout production in Fish Lake, Umpqua National Forest - 1937. 40: 28-40
Combs, W. T.:
*Fish cultural problems discussed. 30: 37-38
Connell, Frank H.:
Chlorine treatment of bacterial fin rot of trout. 34: 6-9
Comment. 39: 24-25
*Sterilizing ponds. 44: 35-36
------ and Eddy Davis Palmer:
Starch digestion in trout. 44: 18-19
Cook, Blendon H.:
*Comments on the rearing of silver trout (landlocked sockeye salmon). 20: 20-22
Cook, Frank:
*Rock filter dam in irrigation ditches to prevent loss of fish. 17: 15
Cooper, Gerald P.:
**Importance of forage fishes. 15: 12-14
**Food habits, rate of growth and cannibalism of young "largemouth" black bass (Aplites salmoides) in state-operated rearing ponds in Michigan during 1935. 23: 15-16
Cottam, Clarence and F. M. Uhler:
The role of fish-eating birds. 14: 1-14
Cozort, Clarence E.:
*Birds eat some. 28: 35-37
Culler, C. F.:
*Comment. 7: 7-8
*Another doubting Thomas. 16: 12-13
Notes on warm-water fish culture. 36: 19-24
*Comment on "The Hatchery Log". 53: 34

Davidson, F. A. and S. J. Hutchinson:
The influence of natural conditions on the geographic distribution of the Pacific salmon. 30: 24-34
Davis, H. S.:
***Does trout stocking pay? by Knut Dahl. 1: 11-14
***On the depreciation of trout fishing in the Oreti (or New River), Southland, with remarks on conditions in other parts of New Zealand by E. Percival. 2: 8-9
Cheaper trout foods. 9: 7-10
***The food and growth of brown trout from Lough Derg and the River Shannon by R. Southern. 12: 13-15
Improvement of trout brood stock through selective breeding. 13: 1-6
***Growth of fingerling trout in natural lakes in Wyoming by J. T. Glass. 15: 31-32

Davis, H. S.:
***The pond culture of black bass by A. H. Wiebe. 17: 17-18
***Hatchery trout versus wild trout. 24: 31-35
A gill disease of the smallmouth blackbass. 27: 7-11
*Comment. 39: 26-28
The use of chlorine for disinfecting fish ponds. 42: 24-29
***On methodical liberations of salmon and trout fry in water courses with special references to the Gudenaa area by C. W. Otterstrom. 45: 60-62
A review of the agricultural investigations of the Bureau of Fisheries. 50: 1-13
*Watercress: Pro and con. 50: 45
*Non-migratory and autumn-spawning rainbow trout. 54: 41-42
------ and Estelle Citrin:
**A new fungus disease of trout. 51: 37
------ and Charles O. Hayford:
The use of dry foods in the diet of rainbow trout and results of overfeeding. 17: 7-10
------ and Elmer Higgins:
***Growth studies of game fish in Wisconsin waters. - Second report by Chancey Juday and Edward Schneberger. 1: 9-11
Deason, H. J.:
***A comparative study of the lake trout fisheries in Algonquin Park, Ontario by F. E. J. Fry. 49: 43-44
***A manual of aquatic plants by Norman C. Fassett. 50: 49-50
***Lake management reports: A second year of fisheries investigations at Fork Lake, 1939 by George W. Bennett, David H. Thompson, and Sam A. Parr. 51: 47-48
Deibler, O. M.:
*Flowers from Pennsylvania. 4: 11
Denmead, Talbott:
*Denmead defends hatchery trout. 26: 23-24
Deuel, Charles R.:
**The use of fish meal, cottonseed meal, meat meal, salmon egg meal and dried skim milk in trout diets. 11: 19-20
New York's feeding records and hatchery production in 1936. 29: 1-10
Deuel, Charles R., David C. Haskell, and A. V. Tunison:
The New York state fish hatchery feeding chart its purposes and mechanics of operation. 29: 11
Dillon, W. R.:
Organization of the Fish and Wildlife Service. 54: 14-23
Dinsmore, A. H.:
*Comment. 4: 9-10
Concrete ponds versus dirt ponds: A symposium of opinion. 22: 10-11
*Growth of wild and domesticated trout. 31: 41
Perfection in hatchery intakes. 46: 16-19
Domogalla, Bernhard:
**Eleven years of chemical treatment of the Madison Lakes - Its effect on fish and fish foods. 11: 23
Donaldson, Lauren R.:
**The use of salmon by-products as food for young king salmon. 11: 18-19
------ and Fred J. Foster:
Processing of fishery products into fish food. 19: 1-6
Notes on the use of kelp meal in the diets of young salmon. 27: 3-7
The use of oat flour combined with salmon meal in the diet of fingerling silver salmon (Oncorhynchus kisutch). 32: 1-6
Comparative feeding values of some of the meals fed to fish. 40: 20-23
Some experiments on the use of beef liver, seal meal, salmon meal and apple flour in the diet of young chinook salmon. 46: 12-15
Some experiments on the use of fresh beef blood as a substitute for beef liver in the diet of young chinook salmon, (Oncorhynchus tschawytscha). 47: 46-49
**Experimental study of the effect of various water temperatures on the growth, food utilization and mortality rates of fingerling sockeye salmon. 51: 39
Bulk foods in the diet of young salmon. 53: 23-25
------ and Richard F. Foster:
Some experiments on the use of salmon viscera, seal meal, beef pancreas, and apple flour in the diet of young chinook salmon (Oncorhynchus tschawytscha). 44: 10-17
Dow, Raymond W.:
**Restoration of Atlantic salmon to the Penobscot River. 15: 14-15
Dumont, Albert L.:
*Comment. 1: 9

Eddy, Samuel:
A classification of Minnesota lakes for fish propagation. 41: 9-13
Do muskellunge and pickerel interbreed? 48: 25-27
**Minnesota fish yield studies for 1940. 53: 39
Edwards, Oliver T.:
**Measurement of fish catch in the Russian River. 49: 23
Elkins, W. A.:
***Trout streams - Conditions that determine their productivity and suggestions for stream and lake management by Paul R. Needham. 44: 47-49
Ellis, M. D., H. L. Motley, M. M. Ellis, and R. O. Jones:
**Selenium poisoning in fishes. 39: 46
Ellis, M. M.:
Effects of pollution on fish. 20: 1-4
**Some fishery problems in impounded waters. 23: 12-13
**Pollution and silting control plans in relation to aquatic life. 28: 22-23
Practical pH determinations. 38: 1-4
------, H. L. Motley, M. D. Ellis, and R. O. Jones:
**Selenium poisoning in fishes. 39: 46
Embody, Daniel R.:
**A method of measuring the number of ectoparasites infesting hatchery fish with particular application to Gyrodactylus. 55: 39
------ and C. McC. Mottley:
**An efficient sampling method for taking a creel census. 49: 21-22
Embody, George C.:
*In justification of the planting of large trout. 13: 10-11
*Comment. 18: 17
Erkkila, Leo:
Notes on feeding the freshwater shrimp Gammarus, to rainbow trout. 20: 10-12
Eschmeyer, R. W.:
**Essential consideration for fish management in lakes. 15: 20-22
The Michigan creel census as an aid to the hatchery man. 19: 11-14
Too many fish. 26: 13-15

Eschmeyer, R. W.:
General management suggestions for lakes surveyed in 1937 in the several national forests of Michigan. 47: 38-45
------ and Carl L. Hubbs:
**Providing shelter, food, and spawning facilities for the game fishes of our inland lakes. 28: 18-19
------ and Clarence Tarzwell:
**An analysis of fishing in the T. V. A. impoundments during 1939. 49: 20-21
Evans, C. A. and R. G. Green:
Fish diets and avitaminosis. 51: 23

Fauley, Clyde C.:
*Comment. 20: 23
Fearnow, Theodore C.:
A new fish-transportation unit. 53: 19-22
**An appraisal of stream improvement programs of the national forests of the northeastern states. 54: 44
Ferguson, M. S. and Robert A. Hayford:
The life history and control of an eye fluke. 54: 1-13
Feustel, J. G.:
*Gill disease checked. 6: 7-8
Fiedler, R. H. and Victor J. Samson:
**The problem of fish food. 11: 16-17
Fish, Frederic F.:
The microscope in the hatchery. 3: 1-7
The bacterial diseases of fish. 5: 1-9
The protozoan diseases of hatchery fish. 6: 1-4
The Bureau of Fisheries' Disease Service. 8: 9-12
***Beef liver for feeding fish should be kept fresh by W. A. Riddell. 8: 13-14
***Recent advances in our knowledge of epidemic diseases among fish in the countries bordering on the Pacific by H. S. Davis. 9: 12-13
Effect of the addition of carrot and ultra-violet rayed soy-bean oil to the artificial synthetic diet in trout culture by K. Hatta. 9: 13-14
*Comment. 13: 14-18
Founders of fish culture: European origins. 16: 8-10
*Taft-Fish controversy continued. 19: 19-20
Treat - Think - And be wary, for tomorrow they may die. 39: 1-9
Disease prevention in the trout hatchery. 43: 1-7
Formalin for external protozoan parasites. 48: 1-10
Additional notes on the control of ecto-parasitic protozoa. 49: 31-32
*Sharp freezing fails to kill Bacterium salmonicida. 55: 34
Fish, Frederic F. and Roger E. Burrows:
Notes on the effect of low temperature upon eyed eggs. 45: 28-31
------ and Donald L. McKernan:
The control of Octomitus: Calomel versus carbarsone. 51: 26-29
Flynt, Clarence D.:
*Increasing the production of large mouth bass fingerlings and their safer distribution. 23: 25-26
Foerster, R. E.:
A study of sockeye salmon propagation methods in British Columbia. 25: 4-6
Discussing the problem of the propagation of Pacific salmon. 26: 1-6
*Comment. 26: 19-21
Fortney, Robert:
*A self-cleaning, revolving screen for use in brood stock and rearing ponds. 38: 22-26
Another hatchery meat-room. 45: 50-53
Good tools help to make good fish culturists. 46: 25-27
Naturalistic raceways. 47: 53-54
Planting fish by boat. 49: 37-38
Foster, Fred J.:
*Comments. 4: 8-9; 21: 29-30
The use of malachite green as a fish fungicide and antiseptic. 18: 7-9
Concrete ponds versus dirt ponds: A symposium of opinion. 22: 13-15
*Watercress: Pro and con. 50: 45
------ and Lauren R. Donaldson:
Processing of fishery products into fish food. 19: 1-6
Notes on the use of kelp meal in the diets of young salmon. 27: 3-7
The use of oat flour combined with salmon meal in the diet of fingerling silver salmon (Oncorhynchus kisutch). 32: 1-6
Comparative feeding values of some of the meals fed to fish. 40: 20-23
Some experiments on the use of beef liver, seal meal, salmon meal and apple flour in the diet of young chinook salmon. 46: 12-15
Some experiments on the use of fresh beef blood as a substitute for beef liver in the diet of young chinook salmon, (Oncorhynchus tschawytscha). 47: 46-49
**Experimental study of the effect of various water temperatures on the growth, food utilization and mortality rates of fingerling sockeye salmon. 51: 39
Bulk foods in the diet of young salmon. 53: 23-25
Foster, Fred J., John Pelnar, and William Hagen, Jr.:
Preliminary results of an experiment on the inclusion of apple flour in foods fed to young salmonoids. 47: 49-51
Foster, Richard F.:
Marking trout under anesthesia. 54: 30-31
------ and L. R. Donaldson:
Some experiments on the use of salmon viscera, seal meal, beef pancreas, and apple flour in the diet of young chinook salmon (Oncorhynchus tschawytscha). 44: 10-17
French, C. A.:
Trout stocking. 44: 45-47
Fruchter, Nathan B.:
Soldering and sheet-metal work for hatcheries. 39: 9-16
Fuqua, Charles L.:
*Comment. 3: 8
*Need of improvement in stocking methods. 27: 17-18
Feeding of Montana grayling at the Bozeman, Montana Station. 43: 12-17
------ and Hubert C. Topel:
Transportation of channel catfish eggs and fry. 46: 19-21

Gabrielson, Ira N.:
Director Gabrielson discusses service policy with the younger staff members. 53: 1-7
Gardner, R. R.:
Conservation at the headgate. 53: 26-29
Gill, G. H.:
*Reducing suffocation of fry in troughs. 53: 33
Gilmore, R. J.:
**Fish propagation in mountain areas. 28: 25-26
Glenny, Fred H.:
*The water-dissemination method for feeding fish by means of a water distributing pipe line system. 36: 26-29

Gowanloch, James Nelson:
**Control of gar fish in Louisiana. 49: 24
Green, R. G. and C. A. Evans:
Fish diets and avitaminosis. 51: 23
Greenbank, John:
**Selective poisoning of fish. 51: 36
Griffiths, Francis P. and Matt L. Ryckman:
A short course for fish hatchery foremen. 48: 34-35
------, Willard Jarvis, Andrew B. Smith, and Charles A. Lockwood:
**Measurement of fish for liberation by weighing. 51: 39
Gutsell, James S.:
Fingerling trout-feeding experiments, Leetown, 1938. 45: 32-41
Frozen fish in hatchery diets may be dangerous. 48: 28-32
The diet of rainbow trout in relation to quantity, quality, and cost of eggs. 50: 19-28
------ and E. W. Surber:
Results of experimental bass studies. 28: 16-17

Hagen, William, Jr.:
Effect of temperature changes in young trout. 47: 52-53
Sterilizing hatchery water supplies. 48: 19-24
The tolerance of one strain of rainbow trout to some foods. 51: 11-15
------, Fred J. Foster, and John Pelnar:
Preliminary results of an experiment on the inclusion of apple flour in foods fed to young salmonoids. 47: 49-51
Hamilton, W. J., Jr.:
Rat control in the hatchery. 16: 6-7
Hamlin, A. C.:
*Letter. 45: frontispiece
Hanson, Harry A.:
A creel census as an aid to a better fish stocking program. 37: 17-19
Harper, D. C.:
Crappie and calico bass culture in Texas. 38: 12-14
Harrison, A. Cecil:
Maryland smallmouth bass spawn when sixteen months old in South Africa. 42: 17-21
Bluegills from Maryland make good in South Africa. 45: 23-28
Hart, J. S.:
**The availability of smallmouth black bass, Micropterus dolomieu Lacepede, in lakes of Algonquin Park, Ontario. 52: 40
Haskell, David C.:
Concrete. 32: 6-10
Electric shock provides method of anesthetizing fish in laboratory. 49: 33-34
**An investigation of the use of oxygen in transporting trout. 52: 38
------, Charles R. Deuel, and A. V. Tunison:
The New York state fish hatchery feeding chart its purposes and mechanics of operation. 29: 11
Hasler, Arthur D.:
***Die Physiologie der Susswasserfische Mitteleuropas (The physiology of freshwater fish of Central Europe) by Wilhelm Wunder. 29: 32-34
***Die Lachsartigen (Salmonidae) Part I by E. Neresheimer. 33: 24-25
***Die Erhaltung und Pflege der Fischgewasser (The maintenance and care of fishing waters) by Ernest Rohler. 40: 47-48
***Die Physiologie der Fischatmung (The physiology of respiration in fishes) by Michael Leiner. 41: 25-26
Hayford, Charles O. and H. S. Davis:
The use of dry foods in the diet of rainbow trout and results of overfeeding. 17: 7-10
Hayford, Robert A. and M. S. Ferguson:
The life history and control of eye fluke. 54: 1-13
Hazzard, A. S.:
***An ecological classification of certain Ontario streams by William E. Ricker. 10: 17-19
*Comment on "comparative costs of planting fish of different sizes" by A. C. Taft. 13: 11-12
History and present activities of the Michigan Institute for Fisheries Research. 21: 14-16
The fish-culturist's library. 34: 1-6
Fourth annual Midwest Wildlife Conference. 43: 8-12
Fish and fishing waters in Glacier Park. 46: 1-7
***Wildlife conservation by Ira N. Gabrielson. 54: 49-50
------ and O. H. Clark:
**A comparison of summer and winter fishing in a "bluegill lake". 44: 34-35

Heacox, Cecil:
Introduction of the brown trout. 30: 39-40
A visit to paradise. 39: 21-23
***Angling in America: Its early history and literature by Charles Eliot Goodspeed. 48: 40
Hedgpeth, Joel W.:
Founders of fish culture: Livingston Stone. 55: 11-14
Heifetz, Harold:
Storage of glycogen in fish muscle. 55: 33-34
Herrington, William C. and George A. Rounsefell:
**Restoration of the Atlantic salmon in New England. 52: 39
Hess, A. D. and Albert Swartz:
**The forage ratio and its use in determining the food grade of streams. 49: 22-23
Hess, Walter N.:
*Caution urged in chemical treatment of ponds. 34: 20-21
Hewitt, Edward R.:
*A mixed bouquet from a man who needs no introduction to fish culturists. 4: 10
*Neversink River throws light on sizes of fish for planting. 14: 22-23
*Fish eating birds have no place in trout waters. 16: 11-12
*Some recent work on fatty livers in trout. 27: 11-15
*Behavior of hatchery trout in streams. 28: 33-35
Observations of interest to hatchery men. 33: 19-21
Aeration of waters for trout. 35: 23-26
*Another note on formalin and Costia. 49: 39-40
Higgins, Elmer:
Editorial: Prospectus. 1: 1-2
Hatchery disease service established. 8: 8
Editorial: Who is a progressive fish culturist? 14: 19
***Fish and game - Now or never by Harry B. Hawes. 18: 18-19
Legislation proposed in the 74th Congress for the abatement of water pollution. 20: 5-10
Editorial: Progress. 22: 7
Editorial: The American fisheries need a spokesman. 23: 6-8
Editorial: Demonstrating that an ounce of prevention is worth a pound of cure. 24: 3
Editorial: Control of hatchery diseases. 25: 10-11

Higgins, Elmer:
Editorial: In defense of criticism. 25: 11
*Comment. 25: 18-19
Editorial: Editors and editorial policy. 32: 20-21
Editorial: Fish culturists, hold up your heads! 34: 16-17
***The life story of the fish by Brian Curtis. 41: 26-27
Editorial: Credit to whom credit is due. 43: 17-19
***A biological survey of thirty-one lakes and ponds of the upper Saco River and Sebago Lake drainage systems in Maine by Gerald P. Cooper. A biological survey of the fresh waters of Long Island by Emmeline Moore, et al. 46: 36-40
Editorial: Taking stock. 52: 31-32
Editorial: The virtue of anonymity. 53: 17-18
Editorial: War and the PFC. 56: 1
***Return to the river, a story of the chinook run by Roderick L. Haig-Brown. 56: 32
***Under the sea-wind, a naturalist's picture of ocean life by Rachel L. Carson. 56: 33
------ and H. S. Davis:
***Growth studies of game fish in Wisconsin waters - Second report by Chancey Juday and Edward Schneberger. 1: 9-11
Hildebrand, Samuel F.:
Hugh McCormick Smith. 55: 23-24
***Guide to the fishes of the Great Lakes and tributary waters by Carl L. Hubbs and Karl R. Lagler. 56: 33
Hile, Ralph:
Age determination of fish from scales; method and application to fish cultural problems. 23: 1-5
**The increase in the abundance of the yellow pike-perch, Stizostedion vitreum (Mitchell), in Lakes Huron and Michigan, in relation to the artificial propagation of the species. 23: 14-15
***Die kunstliche Erbrutung bei grossen Seen, vorlaufige Ergebnisse und Anregungsen (Artificial propagation in large lakes, preliminary results and suggestions) by Hans-Joachim Elster. 23: 30-32
***Natural reproduction of Quinnat salmon, brown and rainbow trout in certain New Zealand waters by Derisley F. Hobbs. 35: 35-38
***Natural reproduction of trout in New Zealand and its relation to density of populations by Derisley F. Hobbs. 52: 41-42
**Growth of the rock bass Ambloplites rupestris (Rafinesque), in five lakes of northeastern Wisconsin. 55: 40
Hilton, H. A.:
*Watercress fed successfully. 51: 40-41
Hodgson, J. R. and John Carl:
Shocking the fish. 31: 36-38
Hogan, Joe:
*Attention to pond-fish culture demanded by Arkansas. 15: 25
*Comment. 20: 22-23
*Improved shipping facilities recommended. 40: 41-42
Hollingsworth, F. W.:
*What kind of fish are we planting? 54: 39-40
Hollopeter, George C.:
*An aquatic weed puller. 49: 40
*A floating tub. 55: 46
Holmes, Harlan B. and Frederick G. Morton:
The success of the Bonneville fishways during their first year of operation. 45: 1-11
Hoover, Earl E.:
*Fish-eating birds. 21: 21-22
------ and M. S. Johnson:
**Migration and depletion of stocked brook trout. 35: 30-31
Howell, Henry H.:
**Bottom organisms in fertilized and unfertilized fish ponds in Alabama. 55: 37-38
Hubbard, Maurice E.:
*Comment. 22: 18
Hubbs, Carl L.:
**Fish management: Looking forward. 23: 10-12
Earl E. Hoover. 44: 40
------ and R. W. Eschmeyer:
**Providing shelter, food, and spawning facilities for the game fishes of our inland lakes. 28: 18-19
Hunter, R. P.:
*Plan for hatchery meat room. 35: 31-33
Huntsman, A. G.:
**Fish culture - Past and present. 35: 27
Hutchinson, S. J. and F. A. Davidson:
The influence of natural conditions on the geographic distribution of the Pacific salmon. 30: 24-34
Hutton, S. E.:
The new salmon hatchery at Leavenworth. 52: 24-30
Ihering, R. von:
A method for inducing fish to spawn. 34: 15-16
Itoh, Takeshi:
Samegai Trout Farm. 25: 7-9
Jackson, Charles E.:
The relationship between commercial and sport fishermen. 49: 14-19
James, C. C.:
*Floating fish nests. 21: 19-21
James, M. C.:
Hatchery records and accounting. 2: 1-4
***Report of experimental work at the Cortland (N. Y.) experimental hatchery for the year 1934 by C. M. McCay and A. V. Tunison. 7: 8-9
*Condemned meat products for fish food. 9: 11
***Excluding birds from reservoirs and fish ponds by W. L. McAtee and S. E. Piper. 25: 22
***Pond fish culture by Percy Viosca, Jr. 32: 27
Baird fish culture station now closed. 37: 22-25
***Auto-ecology of brook trout (Salvelinus fontinalis) in two primitive streams of northern New Hampshire by Earl E. Hoover and G. W. Morrill, Jr. 45: 62-63
The new federal fish distribution policy. 52: 8-11
Fish culture on Lake Titicaca. 55: 25-27
Jarvis, Willard, Francis P. Griffiths, Andrew B. Smith, and Charles A. Lockwood:
**Measurement of fish for liberation by weighing. 51: 39
Johnson, Harlan E.:
Feeding Montana grayling fry. 30: 35-36
Johnson, M. S. and Earl Hoover:
**Migration and depletion of stocked brook trout. 35: 30-31
Johnson, O. H.:
*Preventing depredations of fish-eating birds. 28: 38
Johnston, H. F.:
Fish culture goes collegiate in Montana. 27: 19
Jones, Alden M.:
**The length of the growing season of largemouth and smallmouth black bass in Norris Reservoir, Tennessee. 52: 38
Jones, R. O., H. L. Motley, M. M. Ellis, and M. D. Ellis:
**Selenium poisoning in fishes. 39: 46

Juday, Chancey:
Wisconsin lakes and fish investigations. 39: 18-21
***The improvement of lakes for fishing: A method of fish management by Carl L. Hubbs and R. W. Eschmeyer. 43: 36-37
------ and Clarence L. Schloemer:
**Growth of game fish in Wisconsin waters - Fourth report. 22: 20-22
Effect of fertilizers on plankton production and on fish growth in a Wisconsin lake. 40: 24-27
Justus, Lloyd:
*Food mixer attachment for grinding unit. 40: 44-46

Kamp, Gertrude C. and C.J.D. Brown:
**Gonad measurements and egg counts of brown trout (Salmo trutta) from the Madison River, Montana. 55: 42
Keil, W. M.:
Better stocking methods. 9: 1-6
Care of fingerling trout and salmon. 18: 4-7
Spawntaking operations. 22: 1-6
Selecting and developing a brood stock of trout. 25: 1-4
Fish management in the Pisgah National Game Preserve. 35: 1-9
*Comment. 39: 25-26
Developing trout and salmon fishing in lakes. 41: 1-8
------, Thomas K. Chamberlain, and Reuben O. Knuth:
Report on Pisgah fish management, 1939. 44: 1-10
Kelez, George B.:
Relation of size at release to proportionate return of hatchery-reared coho (silver) salmon. 31: 33-36
Kendall, William C.:
Founders of fish culture: Charles Grandison Atkins - A pioneer who blazed the trails. 25: 12-17
Founders of fish culture: Marshall McDonald, 1835-1895. 43: 19-30
Kibbe, T. S.:
A feast and a famine. 21: 26
*An experiment on heating water for fish cultural purposes. 38: 19-22
Further notes on heating water for the culture of trout. 44: 19-23
King, Willis:
Mortality of hatchery trout, Great Smoky Mountains National Park. 29: 14-17
Kingsbury, Oliver R.:
**Foes encountered in the rearing of smallmouth bass. 23: 17-18
------ and Wm. F. Royce:
**Propagation of smallmouth bass in troughs at South Otsetic Bass Hatchery. 11: 22
Kitson, J. Arthur and Robert A. Nesbit:
**Some results of trout tagging in Massachusetts. 39: 44-46
Klak, George E.:
**Neascus infestation of black-head, blunt-nosed, and other forage minnows. 50: 42
------ and Eugene W. Surber:
Experiments with forage minnows in bass ponds. 47: 31-37
Knuth, Reuben O.:
*Electrical alarm for indicating clogged trash rack. 43: 31-33
------, William M. Keil, and Thomas K. Chamberlain:
Report on Pisgah fish management, 1939. 44: 1-10
------ and E. W. Surber:
***Lehrbuch der Teichwirtschaft by Wilhelm Schaperclaus. 3: 9-13

Lachner, Ernest A. and Edward C. Raney:
**Autumn food of recently planted young brown trout in small streams of central New York. 55: 44
Lagler, Karl F.:
**Fish predation investigation. 39: 47-48
Turtles: Friends or foes of fish culture? 50: 14-18
**Controlling populations of noxious fishes. 53: 38
------ and J. Clark Slayer, II:
The merganser--trout fancier. 44: 43-45
Langlois, T. H.:
The production of smallmouth bass under controlled conditions. 7: 1-7
**The need for planned water utilization with aquicultural suggestions. 11: 15-16
*Comments. 18: 16, 16-17
**Bass tapeworm infection in a rearing pond. 23: 22-23
**Recommendations for improving bass fishing in Ohio. 28: 24-25
**Two processes operating for the reduction in abundance or elimination of fish species from certain types of water areas. 54: 46
Lawson, Edward B.:
Fertilization of fish ponds in Czechoslovakia. 33: 8-13
Leach, G. C.:
**Fostering cooperative fish rearing. 15: 17-18
*Fertilization of bass and daphnia ponds. 16: 13-15
*A new circular rearing pond. 29: 26-27
*Artificial food for bream. 43: 31
Ledgerwood, Edgar:
A spawning knife for taking salmon eggs. 55: 31-32
Lefevre, Lorin:
*A new water aerator. 45: 54-56
Leonard, Justin W.:
**Comments on the adequacy of accepted stream bottom sampling technique. 44: 30
**Further observations on the feeding habits of the Montana grayling (Thymallus montanus) and the bluegill (Lepomis macrochirus) in Ford Lake, Michigan. 50: 39
**Observations on the winter feeding habits of eastern brook trout in relation to natural food organisms present. 55: 37
Lewis, R.C. and P.R. Needham:
Experiments in pond rearing of trout on natural foods. 29: 18-24
Lewis, W. A.:
*Comment. 18: 15
Lin, S. Y.:
Mullet culture in China. 53: 29
Lindgren, O. W.:
Plans for constructing a small fish ladder. 45: 11-17
------ and John Spencer:
Fish screen in irrigation diversions. 45: 18-23
Lockwood, Charles A., Francis P. Griffiths, Willard Jarvis, and Andrew B. Smith:
**Measurement of fish for liberation by weighing. 51: 39
Lockwood, Kenneth B.:
*Club tribute to Charles O. Hayford. 29: 31
Looff, A. T.:
*Food mixing gadget. 21: 28
Lord, Russell F.:
Adaptability - A modern virtue. 3: 7-8
Practical methods of feeding various classes of hatchery foods with a minimum loss. 4: 1-5
The celebrated case of hatchery trout vs. average angler: Are hatchery trout inferior to wild trout? 11: 1-9

Lord, Russell F.:
**The "test stream" and fish management. 15: 15-16
Experiments with marked rainbow trout. 20: 12-15
*Heron provides novel instrument. 24: 28
*The Pittsford sextette. 21: 27-28
Goofy business: Is fishery conservation businesslike? 33: 1-8
Keeping books on a Vermont trout stream. 55: 19-22
Louis, W. A.:
*Herons, bitterns and kingfishers. 17: 16
Lucas, Clarence R.:
The role of fish-eating birds - A reply. 19: 7-10
Lydell, Claude:
Crayfish affects fish production. 41: 22-23
Notes on control of weeds in ponds. 46: 28-29

McCay, C. M.:
Growth. 1: 2-7
Digestion in the stomachs of trout. 11: 9-11
Fish and fish culture in modern Europe. 14: 15-18
Phosphorus and calcium in the eggs and bodies of trout. 17: 10-15
Some new English studies dealing with the toxicity of coal tar products and cyanide to rainbow trout. 21: 25-26
Mining for fish facts. 22: 8-9
Observations on the nutrition of trout. 30: 1-24
Experimental studies of the growth of brook trout. 49: 27-30
------ and A. M. Phillips:
Feeds for the fish hatcheries. 52: 18-21
------ and A. V. Tunison:
**The nutritional requirements of trout. 11: 17-18
MacDonald, Kenneth F.:
*Progressive Fish Culturist and research aiding fish culture. 14: 20
MacDougal, R. L.:
WPA fish propagation projects win popular acclaim. 33: 17-19
McGee, J. Q.:
*Fertility of waters determines fish supply. 33: 23-24
*Too much vegetation in ponds undesirable: An ideal pond station. 34: 18-20
*Comment. 46: 35
*Fish-culture doesn't end at the hatchery. 48: 33
M'Gonigle, R. H. and M. W. Smith:
Cobequid Hatchery - Fish production in Second River, and a new method of disease control. 38: 5-11
MacIntire, Charles S.:
Why a well planned fish cultural program is necessary, with comments on transporting and stocking fish. 41: 14-19
McKernan, Donald L.:
A treatment for tapeworms in trout. 50: 33-35
*The calomel controversy. 53: 32-33
------ and Frederic F. Fish:
The control of Octomitus: Calomel versus carbarsone. 51: 26-29
Madsen, David H.:
**Protection of native fishes in the national parks. 23: 24-25
Martin, Jerry:
A sportsman-operated rearing station. 55: 15-18
Meehean, Otis Lloyd:
Some factors controlling largemouth bass production. 16: 1-6
***Observations on the value of superphosphate for the fertilization of large carp ponds by Wilhelm Wunder, Hans Untermohl, and Waldemar Ohle. 21: 32-34
Dactylogyrus control in ponds. 32: 10-12
Control of predaceous insects and larvae in ponds. 33: 15-16
Control of "shellbugs" in pond culture. 34: 10-11
A method for the production of largemouth bass on natural food in fertilized ponds. 47: 1-19
*Marking largemouth bass. 51: 46
**Population studies of five Florida lakes. 55: 38
Mitchell, C. R.:
The potato ricer in the fish hatchery. 55: 28-30
Moore, Emmeline:
**Fish management. 15: 19
Founders of fish culture: Seth Green - A historical note on a pioneer in fish culture. 18: 10-12
**The effect of silting on the productivity of waters. 28: 23-24
Moore, Myron and J. H. Wales:
**Progress report of trout feeding experiments, 1937. 40: 48-49
Morris, A. G.:
Propagation of channel catfish. 44: 23-27
Morton, Frederick G. and Harlan B. Holmes:
The success of the Bonneville fishways during their first year of operation. 45: 1-11
Morton, K. E.:
*Suggestion for a fish grader. 36: 29-31
Mosteller, Wm.:
*Notes on fingerling trout. 27: 16-17
Motley, H. H., M. M. Ellis, M. D. Ellis, and R. O. Jones:
**Selenium poisoning in fishes. 39: 46
Mottley, C. McC.:
**The production of rainbow trout at Paul Lake, British Columbia. 50: 43
------ and D. R. Embody:
**An efficient sampling method for taking a creel census. 49: 21-22

Needham, P. R.:
***River keeper by John Waller Hills and Geoffrey Bles. 5: 12-13
***The golden trout of Cottonwood Lakes by Brian Curtis. 6: 8-9
Natural food of trout. 10: 1-12
**A cheap, adjustable fish grader. 11: 21-22
***A book of trout flies by Preston J. Jennings. 16: 20-21
Notes on the introduction of Mexican trout. 37: 1-10
*Loss of Mexican trout. 38: 18-19
**Natural propagation versus artificial propagation in relation to angling. 44: 28-29
George C. Embody. 44: 38-39
***The western angler, an account of Pacific salmon and trout by Roderick L. Haig-Brown. 48: 38-39
------ and E. P. Cliff:
Trout production in Fish Lake, Umpqua National Forest - 1937. 40: 28-40
------ and R. C. Lewis:
Experiments in pond rearing of trout on natural foods. 29: 18-24
------ and F. H. Sumner:
**Fish management problems of high western lakes with returns from marked trout planted in upper Angora Lake, California. 55: 41-42
Neil, George A., J. C. Suits, and W. H. Thomas:
*Shiners, bass, trout foods, and selective breeding. 21: 22-23
Nelson, E. Clifford:
Carbarsone treatments for Octomitus. 55: 1-5

Nelson, T. F.:
Fertilizing bass ponds. 56: 28-29
Nesbit, Robert A. and J. Arthur Kitson:
**Some results of trout tagging in Massachusetts. 39: 44-46
Nichols, K. B.:
*Blue herons and trout. 32: 23-24
Nolf, L. O.:
*Easy aeration of fish containers. 37: 21
Nonymous, A.:
No foolin'. 50: 36-37

O'Donnell, D. John:
A new method of combating fungus infections. 56: 18-20
Olson, Ralph H.:
*Useful gloves for the hatcheryman. 30: 39
Air conditioning fish distribution tanks. 52: 16-17
Osborne, Lithgow:
Is wild trout fishing doomed? 54: 24-29
Otterstrom, C. V.:
**Farming Danish trout for export. 39: 48-49

Paget, Richard:
Hatcheries. 46: 7-11
Palmer, Eddy D.:
Diplostomiasis, a hatchery disease of fresh-water fishes new to North America. 45: 41-47
------ and Frank H. Connell:
Starch digestion in trout. 44: 18-19
Parish, Ralph A.:
*Comment. 22: 18-19
Pautzke, Clarence F.:
**Studies of the effect of coal washings on trout. 35: 28-29
Pells, F.:
*Collecting fish eggs. 55: 46-47
Pelnar, John, Fred J. Foster, and William Hagen, Jr.:
Preliminary results of an experiment on the inclusion of apple flour in foods fed to young salmonoids. 47: 49-51
Peterson, H. L.:
Comments on "The Hatchery Log". 53: 35
Phillips, Arthur M., Jr.:
The development of anemia in trout fed a synthetic diet and its cure by the feeding of fresh beef liver. 48: 11-13
A study of the digestion and absorption of carbohydrates by brook trout. 51: 16-23
------ and C. M. McCay:
Feeds for the fish hatcheries. 52: 18-21
Playfair, A. C.:
*A fish culturist's problems. 43: 33
*Syphon egg pick. 44: 37-38
Pough, Richard H.:
*The Audubon Society urges bird-fish protection. 20: 15-16
Powell, A. M.:
*Small-mouthed black bass shipped to South Africa. 33: 21-23
Prevost, Gustave:
Increasing the capacity of a hatchery. 55: 6-10
Pryor, Donald C.:
*Reply to Mr. Wall. 50: 44

Quistorff, Elmer and Richard T. Smith:
The control of Octomitus: Calomel in the diet of hatchery salmon. 51: 24-26

Raney, Edward C.:
**Pond propagation of the silvery minnow, Hybognathus regius Girard. 55: 43-44
------ and Ernest A. Lachner:
**Autumn food of recently planted young brown trout in small streams of central New York. 55: 44
------ and Dwight A. Webster:
**The food and growth of the young of the common bullhead, Ameiurus nebulosus nebulosus (LeSueur), in Cayuga Lake, New York. 50: 43
Rawson, D. S.:
**Natural rearing enclosures for black bass. 35: 30
Rayner, H. John:
Planting fish in lakes. 51: 33-34
Reeve, Jas. H.:
*An experiment in rearing small-mouth bass. 42: 31-32
Reid, Kenneth A.:
*"Hands off" good motto in releasing fish. 55: 45
Reighard, Jacob:
Founders of fish culture: Dwight Lydell, 1861-1927. 28: 26-31
Richan, Fred J.:
*Comment. 1: 8
**What becomes of fish after they are planted? 23: 26-29
Ricker, William E.:
Glimpses of fishery biology and fish culture in Europe: I. Scandinavian countries. 31: 29-33
Glimpses at fisheries biology and fish culture in Europe: II. Germany and France. 32: 12-15
Glimpses at fisheries biology and fish culture in Europe: III. Austria, Czechoslovakia, Poland, Russia. 34: 12-14
Glimpses at fisheries biology and fish culture in Europe: IV. England and Scotland. 35: 20-23
Roach, Lee S. and E. L. Wickliffe:
**Management of impounded waters in Ohio. 28: 20-21
Roberts, Floyd and James R. Simon:
A drip incubator and heater combination. 56: 10-13
Robertson, A.:
**Hatching fry in gravel (No. 2). 23: 19
Rodd, J. A.:
**Fish management, Paul Lake, British Columbia. 15: 16-17
A national freshwater fish cultural policy. 18: 1-4
Founders of fish culture: Samuel Wilmot, pioneer Canadian fish culturist. 21: 16-18
Founders of fish culture: Richard Nettle, first Canadian fish culturist. 29: 25
*Non-migratory and autumn-spawning rainbow trout. 54: 41
Roth, Andy:
*This tickles our self-esteem. 17: 16
Rounsefell, George A. and William C. Herrington:
**Restoration of the Atlantic salmon in New England. 52: 39
Royal, Loyd A. and Allyn Seymour:
Puget Sound sockeye salmon plantings show varying degrees of success. 52: 1-7
Royce, Wm. F. and O. R. Kingsbury:
**Propagation of small-mouth bass in troughs at South Otsetic Bass Hatchery. 11: 22
Rushton, W.:
**Fresh water fishery problems of the British Isles. 23: 23-24
Russ, Howard C. and Earl W. Stiles:
Meat diet supplements, and their effect on growth and health of fingerling trout. 37: 10-16
Ryckman, Matt L.:
Cold storage plants at Oregon trout hatcheries. 27: 1-3
------ and Francis P. Griffiths:
A short course for fish hatchery foremen. 48: 34-35

Samson, Victor J. and R. H. Fiedler:
**The problem of fish food. 11: 16-17
Savage, James:
**Report on the effect of gravel in raceways. 23: 20
Schloemer, Clarence L. and Chancey Juday:
**Growth of game fish in Wisconsin waters - Fourth report. 22: 20-22
Effect of fertilizers on plankton production and on fish growth in a Wisconsin lake. 40: 24-27
Schneberger, Edward:
Fishery research in Wisconsin. 56: 14-17
Seymour, Allyn and Loyd A. Royal:
Puget Sound sockeye salmon plantings show varying degrees of success. 52: 1-7
Shapovalov, Leo and William Berrian:
**An experiment in hatching silver salmon (Oncorhynchus kisutch) eggs in gravel. 50: 41
Shetter, David S.:
***The marking of carp in pond management by W. Wunder. 19: 23-25
***Die Electrizitat im Dienste der Wildbachfischerei (The use of electricity in the fishing of wild streams) by Franz Hager. 36: 32-33
**Success of plantings of fingerling trout in Michigan waters as demonstrated by marking experiments and creel censuses. 44: 29-30
Silliman, Ralph P.:
An egg handling experiment. 22: 15-17
Simon, James R. and Floyd Roberts:
A drip incubator and heater combination. 56: 10-13
Slayer, J. Clark, II and Karl F. Lagler:
The merganser--trout fancier. 44: 43-45
Smith, Andrew B., Francis P. Griffiths, Willard Jarvis, and Charles A. Lockwood:
**Measurement of fish for liberation by weighing. 51: 39
Smith, Charles G.:
Egg production of wall-eyed pike and sauger. 54: 32-34
Smith, E. V. and H. S. Swingle:
**Increasing fish production in ponds. 44: 32-33
**Experiments on the stocking of fish ponds. 49: 19-20
**Effect of organic and inorganic fertilizers on plankton production and bluegill bream carrying capacity of ponds. 50: 38
**Fish production in terrace water ponds in Alabama. 50: 39
**Winter growth of bluegills in fertilized ponds. 51: 38
**Control of spatterdock (Nuphar advena Ait.) in ponds. 52: 40
Managing ponds for fish production. 53: 8-13
**The use of fertilizer for controlling the pond weed Najas guadalupensis (Spreng.) Morong. 54: 45-46
Smith, M. W.:
**Copper sulphate and rotenone as fish poisons. 50: 40
------ and R. H. M'Gonigle:
Cobequid Hatchery - Fish production in Second River, and a new method of disease control. 38: 5-11
Smith, Osgood R.:
Suggestions on stream improvement. 36: 6-19
Smith, Richard T.:
The reactions of silver salmon, Oncorhynchus kisutch, to a 190 foot fall. 47: 51-52
------ and Elmer Quistorff:
The control of Octomitus: Calomel in the diet of hatchery salmon. 51: 24-26
Śnieszko, Stanislas F.:
A bacterial disease of carp in central Europe: Haemorrhagic septicaemia causes heavy losses on Polish fish farms. 52: 12-15
Snyder, J. O.:
Notes on certain features of a program of fish culture. 12: 1-8
*Have you any facts on the success of planting fry? 26: 22
*Comment. 1: 8
*Feeding bass at the Cape Vincent, N. Y., station. 12: 9-11
*Bass operations at Cape Vincent, N. Y. 31: 39-40
*Feeding trout in streams after planting. 36: 25-26
Solberg, Archie Norman:
The development of a bony fish. 40: 1-19
Solomons, Wesley B.:
*A simple weed cutter for ponds. 41: 20-22
Southwick, P. W.:
*Comments. 19: 22
Speaker, E. B.:
*Growth of bass and pike-perch in ponds. 24: 27
Pond rearing of wall-eyed pike. 36: 1-6
Spencer, John and O. W. Lindgren:
Fish screen in irrigation diversions. 45: 18-23
Sprecher, George E.:
Artificial spawning and propagation of black bass in Wisconsin. 42: 21-24
Fisheries administration. 44: 41-43
Stiles, Earl W. and Howard C. Russ:
Meat diet supplements, and their effect on growth and health of fingerling trout. 37: 10-16
Stock, A. W.:
*Comment. 16: 18
Storer, Tracy I.:
The California trout investigations. 35: 9-19
Suits, J. C., George A. Neil, and W. H. Thomas:
*Shiners, bass, trout foods, and selective breeding. 21: 22-23
Sullivan, John G.:
*Seine handles found useful. 40: 43-44
Sumner, Francis H.:
**The decline of the Pyramid Lake fishery. 50: 41
------ and P. R. Needham:
**Fish management problems of high western lakes with returns from marked trout planted in upper Angora Lake, California. 55: 41-42
Surber, E. W.:
***Lehrbuch der Teichwirtschaft by Wilhelm Schaperclaus. 4: 11-13
Production of bass fry. 8: 1-7
***What is the deciding factor in trout growth? by C. Stratton Garrish. 8: 12-13
*An argument for stream management. 13: 18-20
The culture of daphnia. 17: 1-6
***Die "Kinderkrankheiten" der Salmoniden (Dotterblasenwassersucht und Dotterblaseneinschnurung). The fry diseases of Salmonidae (Yolk sac dropsy and yolk sac constriction) by Helene Schereschewsky. 20: 25-26
Circular rearing pools for trout and bass. 21: 1-14
***The small-mouth bass by Carl L. Hubbs and Reeve M. Bailey. 38: 28-31
A comparison of the growth of fingerling rainbow trout in concrete and dirt-bottomed circular pools of the same size. 42: 29-31

Surber, E. W.:
*Gloves for winter use in taking bottom samples. 46: 35
An appraisal of the results of planting fingerling trout in St. Mary River, Virginia. 49: 1-13
**Scyphidia micropteri, a new protozoan parasite of largemouth and smallmouth black bass. 50: 42
**A quantitative study of the food of the smallmouth black bass, Micropterus dolomieu, in three eastern streams. 51: 36
Belly tags for bass. 56: 21-22
------ and J. S. Gutsell:
Results of experimental bass studies. 28: 16-17
------ and George E. Klak:
Experiments with forage minnows in bass ponds. 47: 31-37
------ and Reuben O. Knuth:
***Lehrbuch der Teichwirtschaft by Wilhelm Schaperclaus. 3: 9-13
Swartz, Albert and A. D. Hess:
**The forage ratio and its use in determining the food grade of streams. 49: 22-23
Swepson, Earle:
Fish culture is big business in the United States. 31: 1-29
Swingle, H. S. and E. V. Smith:
**Increasing fish production in ponds. 44: 32-33
**Experiments on the stocking of fish ponds. 49: 19-20
**Effect of organic and inorganic fertilizers on plankton production and bluegill bream carrying capacity of ponds. 50: 38
**Fish production in terrace water ponds in Alabama. 50: 39
**Winter growth of bluegills in fertilized ponds. 51: 38
**Control of spatterdock (Nuphar advena Ait.) in ponds. 52: 40
Managing ponds for fish production. 53: 8-13
**The use of fertilizer for controlling the pond weed Najas guadalupensis (Spreng.) Morong. 54: 45-46

Taft, A. C.:
Methods for counting small fish in hatcheries. 2: 5-7
Comparative costs of planting fish of different sizes. 11: 11-14
*Taft objects to Fish's fish food calculations. 15: 23-24
Tanner, R. P.:
*Robins destroy fry. 19: 18
Tarzwell, Clarence M.:
**Factors influencing fish food and fish production in southwestern streams. 35: 29-30
**The fish population of a small pond in northern Alabama. 49: 24-25
**A second season of creel census in the lower T. V. A. reservoirs: Guntersville, Wheeler, Wilson, and Pickwick. 54: 47-48
**Fish populations in the backwaters of Wheeler Reservoir and suggestions for their management. 55: 39-40
------ and Paul Bryant:
**A preliminary report on the census of commercial fishing in Tennessee Valley Authority impoundments. 54: 47
------ and R. William Eschmeyer:
**An analysis of fishing in the T. V. A. impoundments during 1939. 49: 20-21
Thayer, Hanford:
*Peeling paint is cause of fingerling loss. 54: 43
Thomas, W. H.:
*Comments. 1: 7-8; 4: 6-7; 7: 8; 20: 23, 24; 21: 23-24, 30-31
*Here's something to think over. 5: 9-11
*Stall feeding pond fish. 6: 6
*Neosho offers interesting comments on feeding. 9: 11-12
*Neosho comments on overfeeding and other matters. 20: 17-20
Concrete ponds versus dirt ponds: A symposium of opinion. 22: 11-13
------, George A. Neil, and J. C. Suits:
*Shiners, bass, trout foods, and selective breeding. 21: 22-23
Thompson, David H. and George W. Bennett:
**Fish management in small artificial lakes. 44: 31-32
Thompson, Fred A.:
*Selective breeding in New Mexico. 51: 40
Tierney, James H.:
*Advantages and disadvantages of sportsmen club rearing pools as an aid to fish cultural operations. 12: 11-12
Timmens, T. W.:
*Letters. 25: 17-18, 19-20
*"The days of fishing for fish are over." 35: 33-34
Tingley, F. A.:
*Comment on Carl's article. 54: 39
Topel, Hubert C. and Charles L. Fuqua:
Transportation of channel catfish eggs and fry. 46: 19-21
Townsend, A. A.:
*Lack of food drives trout from streams. 29: 27-28
Trautman, Milton B.:
**Fluctuations in lengths and numbers of certain species of fishes over a five-year period in Whitmore Lake, Michigan. 52: 39
Tufts, Edgar H.:
*North Carolina trout club successful. 18: 12-14
Tunison, A. V.:
***Lower cost diets for hatchery trout by W. W. Aitken. 45: 64
The protein requirement of trout. 50: 29-32
------, Charles R. Deuel, and David C. Haskell:
The New York state fish hatchery feeding chart its purposes and mechanics of operation. 29: 11
------ and C. M. McCay:
**The nutritional requirements of trout. 11: 17-18
Turney, George A.:
**Observations on Missouri Ozark streams and game fishes. 53: 37

Uhler, F. M. and Clarence Cottam:
The role of fish-eating birds. 14: 1-14
Underhill, A. Heaton:
**The estimation of a breeding population of chub suckers. 49: 25

Van Atta, C. H.:
*Comment. 3: 9
Van Engle, Willard A.:
**The food of the black crappie, Pomoxis nigromaculatus, in Wisconsin waters. 53: 37
Van Oosten, John:
The North Central States Wildlife Conference. 26: 15-19
The artificial propagation of the commercial species of fish of the Great Lakes. 28: 8-15
**Relationship between fry plantings and production of whitefish in Lake Erie. 55: 43

Varius, Carolus:
Aesop's fish foibles. 51: 30-32

Wales, Joseph H.:
**The feeding of trout in California hatcheries. 11: 20
------ and Myron Moore:
**Progress report of trout feeding experiments, 1937. 40: 48-49
Wall, Roy:
After the hatchery - What? 49: 26
Warfel, Herbert E.:
Trout management in New Hampshire. 56: 2-9
Watanabe, M.:
Salmon culture in Japan. 48: 14-18
Webster, Dwight A. and Edward G. Raney:
**The food and growth of the young of the common bullhead, Ameiurus nebulosus nebulosus (LeSueur), in Cayuga Lake, New York. 50: 43
Westerman, Fred A.:
*Comment. 1: 8
Weyer, Albert E.:
The Lake of the Ozarks: A problem in fishery management. 51: 1-10
Wiant, Charles R.:
*Shiners also eat bream eggs. 24: 27-28
*Problems of bass survival in rearing ponds. 32: 22
Wickliffe, E. L. and Lee S. Roach:
**Management of impounded waters in Ohio. 28: 20-21
Wiebe, A. H.:
***Experiences gained from the introduction of rainbow trout in Jugoslavia by Wilhelm Mrsic. 13: 20-21
Productivity and rental values of trout streams by Conrad Lehman. 22: 22-23
***Abstract: Investigations on the artificial insemination and hatching of brook trout eggs from different groups of brood fish and their further development in ponds to the age of one year by Ing. Erhard Robert Wiesner. 29: 34-35
**Density currents in impounded waters their significance from the standpoint of fisheries management. 54: 45
Winkelman, Cassius:
*Forage fish, lily control and snapping turtles. 45: 53-54
Wolf, Louis E.:
**The use of potassium permanganate in the control of fish parasites. 11: 20-21
*Another state heard from in the free-for-all started by A. C. Taft in the October number of "The Progressive Fish Culturist". 13: 12-13
**An air bladder disease in lake trout fingerlings. 23: 20-21
**Blood clots in the gills of trout. 23: 22
A large fish sorter. 32: 16-17
***Method and applicability of the quinine bath, and several other old and new baths (collargol, methylene blue, acriflavine, table salt), in combating one-celled skin parasites of fish by Wilhelm Schaperclaus. 32: 25-26
***Trout mortality from the formation of suspended ice crystals by Erich Tack. 37: 26
***Meat substitutes for feeding trout by Heinz Vetter. 37: 26-27
Effect of amount of food on fin condition of fingerling trout. 39: 16-18
*Again, fish sorters. 39: 28-31
Ichthyophthiriasis in a trout hatchery. 42: 1-17
***Conservation in the United States by A. F. Gustafson, H. Ries, C. H. Guise, and W. J. Hamilton, Jr. 47: 55-56
The value of disinfection in ulcer disease: Sterilizing ponds with chlorine prevents recurrence. 49: 35-36
**Further observations on ulcer disease of trout. 51: 37
Woodbury, Lowell A.:
Overcrowding trout. 45: 58-60
Wright, Alice:
A report of four years experience with fin rot and some remarks on octomitiasis. 24: 1, 2, 4-26

Young, Ralph W.:
*Bass, crappies, and carp eat others. 28: 37-38
Where do we go from here? 38: 14-18

☆ U. S. GOVERNMENT PRINTING OFFICE : 1966 O - 232-362